

# **Research shows secondary seed dispersal by predator animals is important for recolonization of plants**

February 23 2017

---

The Ecological Significance of

# Diploendozochory


"double"

"inner"


"animal"

"seed dispersal"


=




seed consumer is eaten by carnivore, which then deposits seed




## Potential Ecological Roles



↑ seedling success



↑ resilience to climate change



↑ movement across poor habitats

Ecological significance of this important process is rarely assessed

We provide a framework for future studies

Follow @Wild49Eco on Twitter

Hämäläinen, A., Broadley, K., Droghini, A., Haines, J.A., Lamb, C.T., Boutin, S., Gilbert, S. (2017). The ecological significance of secondary seed dispersal by carnivores. *Ecosphere*.

Research shows secondary seed dispersal by predator animals is important for recolonization of plants. Credit: Kate Broadley and Clayton Lamb

In the middle of Alberta's boreal forest, a bird eats a wild chokecherry. During his scavenging, the bird is caught and eaten by a fox. The cherry seed, now inside the belly of the bird within the belly of fox, is transported far away from the tree it came from. Eventually, the seed is deposited on the ground. After being broken down in the belly of not one but two animals, the seed is ready to germinate and become a cherry tree itself. The circle of life at work.

Diploendozoochory, or the process of a seed being transported in the gut of multiple animals, occurs with many species of plants in habitats around the world. First described by Charles Darwin in 1859, this type of seed dispersal has only been studied a handful of times. And in a world affected by [climate change](#) and increasing rates of human development, understanding this process is becoming increasingly important.

A new study by researchers at the University of Alberta's Department of Biological Sciences is the first to comprehensively examine existing literature to identify broader patterns and suggest ways in which the phenomenon is important for plant populations and seed evolution.

Anni Hämäläinen, lead investigator and postdoctoral fellow, explains that predator-assisted seed dispersal is important to colonize and recolonize plant life in the wild.

"Thick-shelled seeds may benefit from the wear and tear of passing through the guts of two animals, making them better able to germinate than if they had passed through the gut of the prey alone," explains Hämäläinen. "It's even possible that some plants have evolved specifically to take advantage of these predator-specific behaviours."

Diploendozoochory also has broader environmental implications.

Often larger than prey animals, predators cover larger distances with ease. As humans continue to develop and alter wilderness, such as by cutting down forests or building roads, predators may be the only animals large enough to navigate across these areas and enable plants to recolonize them.

"Climate change will alter where some plants can find suitable places to grow," explains Hämäläinen. "Seed-carrying predators may have a role in helping plants cover a larger area and hence move with the changing climate."

These different factors are like pieces in a puzzle, explains Hämäläinen: to fully understand the big picture of how they affect [plant populations](#), scientists need to know how all of the pieces fit together.

"Our work has highlighted how interesting and important diploendozoochory is, and we hope that it will help and encourage others to fill some of these gaps in our understanding," says Hämäläinen.

The paper "The ecological significance of secondary [seed dispersal](#) by carnivores" is published in *Ecosphere*.

Provided by University of Alberta

Citation: Research shows secondary seed dispersal by predator animals is important for recolonization of plants (2017, February 23) retrieved 27 March 2023 from <https://phys.org/news/2017-02-secondary-seed-dispersal-predator-animals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.