

# NASA study confirms biofuels reduce jet engine pollution

March 16 2017

---



The DC-8's four engines burned either JP-8 jet fuel or a 50-50 blend of JP-8 and renewable alternative fuel of hydro processed esters and fatty acids produced from camelina plant oil. Credit: NASA/SSAI Edward Winstead

Using biofuels to help power jet engines reduces particle emissions in their exhaust by as much as 50 to 70 percent, in a new study conclusion that bodes well for airline economics and Earth's environment.

The findings are the result of a cooperative international research program led by NASA and involving agencies from Germany and Canada, and are detailed in a study published in the journal *Nature*.

During flight tests in 2013 and 2014 near NASA's Armstrong Flight Research Center in Edwards, California, data was collected on the effects of alternative fuels on engine performance, emissions and aircraft-generated contrails at altitudes flown by [commercial airliners](#). The test series were part of the Alternative Fuel Effects on Contrails and Cruise Emissions Study, or ACCESS.

Contrails are produced by hot aircraft engine exhaust mixing with the cold air that is typical at cruise altitudes several miles above Earth's surface, and are composed primarily of water in the form of ice crystals.

Researchers are most interested in persistent contrails because they create long-lasting, and sometimes extensive, clouds that would not normally form in the atmosphere, and are believed to be a factor in influencing Earth's environment.

"Soot emissions also are a major driver of contrail properties and their formation," said Bruce Anderson, ACCESS project scientist at NASA's Langley Research Center in Hampton, Virginia. "As a result, the observed particle reductions we've measured during ACCESS should directly translate into reduced ice crystal concentrations in contrails, which in turn should help minimize their impact on Earth's environment."



NASA's HU-25C Guardian aircraft flies 250 meters behind the agency's DC-8 aircraft on May 14, 2014, before it descends into the DC-8's exhaust plumes to sample ice particles and engine emissions. Credit: National Research Council of Canada

That's important because contrails, and the cirrus clouds that evolve from them, have a larger impact on Earth's atmosphere than all the aviation-related [carbon dioxide emissions](#) since the first powered flight by the Wright brothers.

The tests involved flying NASA's workhorse DC-8 as high as 40,000 feet while its four engines burned a 50-50 blend of aviation fuel and a

renewable alternative fuel of hydro processed esters and fatty acids produced from camelina plant oil. A trio of research aircraft took turns flying behind the DC-8 at distances ranging from 300 feet to more than 20 miles to take measurements on emissions and study contrail formation as the different fuels were burned.

"This was the first time we have quantified the amount of soot particles emitted by jet engines while burning a 50-50 blend of biofuel in flight," said Rich Moore, lead author of the *Nature* report.

The trailing aircraft included NASA's HU-25C Guardian jet based at Langley, a Falcon 20-E5 jet owned by the German Aerospace Center (DLR), and a CT-133 jet provided by the National Research Council of Canada.

"Measurements in the wake of aircraft require highly experienced crew members and proven measuring equipment, which DLR has built up over many years," said report co-author Hans Schlager of the DLR Institute of Atmospheric Physics. "Since 2000, the DLR Falcon has been used in numerous measurement campaigns to investigate the emissions and contrails of commercial airliners."

Researchers plan on continuing these studies to understand and demonstrate the potential benefits of replacing current fuels in aircraft with biofuels. It's NASA's goal to demonstrate biofuels on their proposed supersonic X-plane.

**More information:** Richard H. Moore et al. Biofuel blending reduces particle emissions from aircraft engines at cruise conditions, *Nature* (2017). [DOI: 10.1038/nature21420](https://doi.org/10.1038/nature21420)

Provided by NASA

Citation: NASA study confirms biofuels reduce jet engine pollution (2017, March 16) retrieved 29 April 2024 from <https://phys.org/news/2017-03-nasa-biofuels-jet-pollution.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.