

Study reveals mass extinction event 35 million years ago

March 23 2017



The Underwoodisaurus gecko has a clear scale over its eyes to prevent water loss; but it can't blink, so it licks its eye clean. Credit: Stuart Hay, ANU

Australian National University biologists have found the first evidence of mass extinction of Australian animals caused by a dramatic drop in global temperatures 35 million years ago.

This period of intense and [rapid climate change](#) occurred at the same

time when Australia separated from Antarctica.

Lead researcher ANU PhD student Ian Brennan said the team detected the [mass extinction](#) of pygopodoid [geckos](#) by using molecular evolutionary methods to examine fossil records.

"The dramatic shift to colder and drier climates likely resulted in rapidly changing Australian habitats, which hugely impacted the animals that inhabited them," said Mr Brennan from the ANU Research School of Biology.

"Our research provides evidence that rapid shifts in [climate](#) may have profound and long-lasting effects on global biodiversity."

Mr Brennan said findings also suggested the emergence and spread of deserts in Australia from about 10 million years ago provided ideal habitat for new pygopodoid gecko species to prosper.

"Our findings suggest that arid regions of Australia have acted as a cradle for geckos, promoting the rich gecko diversity that is found across the continent," he said.

Co-researcher Dr Paul Oliver said geckos did well in the harsh climates of arid Australia because they avoided the heat by being nocturnal.

"Many desert geckos also have strategies and attributes to avoid water loss, such as having relatively rugged skin and scales," he said.

"The clear scale over the eye, called a spectacle or brille, is one such example of this, as it helps them avoid [water loss](#) from the surface of the eye. But that means they can't blink, so they have to lick it clean.

"Underwoodisaurus and their relatives Nephruirus have little 'eyebrows'

that stick out to keep dust and dirt off their eyes, because they're burrowing species."

The pygopodoid geckos are a group of about 150 species found across Australia.

More information: Ian G. Brennan et al. Mass turnover and recovery dynamics of a diverse Australian continental radiation, *Evolution* (2017). DOI: [10.1111/evo.13207](https://doi.org/10.1111/evo.13207)

Provided by Australian National University

Citation: Study reveals mass extinction event 35 million years ago (2017, March 23) retrieved 28 April 2024 from <https://phys.org/news/2017-03-reveals-mass-extinction-event-million.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--