

Rotating molecules create a brighter future

March 30 2017

Scientists have discovered a group of materials which could pave the way for a new generation of high-efficiency lighting, solving a quandary which has inhibited the performance of display technology for decades. The development of energy saving concepts in display and lighting applications is a major focus of research, since a fifth of the world's electricity is used for generating light.

Writing in *Science* this week, the team, from the University of Cambridge, the University of East Anglia and the University of Eastern Finland, describes how it developed a new type of material that uses rotatable molecules to emit [light](#) faster than has ever been achieved before. It could lead to televisions, smart-phone displays and room lights which are more power-efficient, brighter and longer lasting than those currently on the market.

Corresponding author, Dr Dan Credgington, of the University of Cambridge's Cavendish Laboratory, says: "It's amazing that the very first demonstration of this new kind of material already beats the performance of technologies which have taken decades to develop. If the effect we have discovered can be harnessed across the spectrum, it could change the way we generate light."

Molecular [materials](#) are the driving force behind modern [organic light-emitting diodes](#) (OLEDs). Invented in the 1980s, these devices emit light when electricity is applied to the organic (carbon based) molecules in them. OLED lighting is now widely used in televisions, computers and mobile phones. However it has to overcome a fundamental issue which

has limited efficiency when it comes to converting [electrical energy](#) into light.

Passing an electric current through these molecules puts them into an excited state, but only 25% of these are 'bright' states that can emit light rapidly. The remaining 75% are 'dark' states that usually waste their energy as heat limiting the efficiency of the OLED device. This mode of operation produces more heat than light just like in an old fashioned filament light bulb. The underlying reason is a quantum property called 'spin' and the dark states have the wrong type.

One approach to tackle this problem is to use rare elements, such as iridium, which help the dark states to emit light by allowing them to change their spin. The problem is this process takes too long, so the energy tied up in the dark states can build up to damaging levels and make the OLED unstable. This effect is such a problem for blue emitting materials (blue light has the highest energy of all the colours) that, in practice, the approach can't be used.

Chemists at the University of East Anglia have now developed a new type of material where two different organic molecules are joined together by an atom of copper or gold. The resulting structure looks a bit like a propeller. The compounds, which can be made by a simple one-pot procedure from readily available materials, were found to be surprisingly luminescent. By rotating their "propeller", dark states formed on these materials become twisted, which allows them to change their spin quickly. The process significantly increases the rate at which electrical energy is converted into light achieving an efficiency of almost 100% and preventing the damaging build-up of dark states.

Dr Dawei Di and Dr Le Yang, from Cambridge, were co-lead authors, along with Dr Alexander Romanov, from the UEA. He says:

"Our discovery that simple compounds of copper and gold can be used as bright and efficient materials for OLEDs demonstrates how chemistry can bring tangible benefits to society. All previous attempts to build OLEDs based on these metals have led to only mediocre success. The problem is that those materials required the sophisticated organic molecules to be bound with copper but has not met industrial standards. Our results address an on-going research and development challenge which can bring affordable high-tech OLED products to every home."

Computational modelling played a major role in uncovering this novel way of harnessing intramolecular twisting motions for energy conversion.

Professor Mikko Linnolahti, of the University of Eastern Finland, where this was done, comments:

"This work forms the case study for how we can explain the principles behind the functioning of these new materials and their application in OLEDs."

The next step is to design new molecules that take full advantage of this mechanism, with the ultimate goal of removing the need for rare elements entirely. This would solve the longest standing problem in the field - how to make OLEDs without having to trade-off between efficiency and stability.

Co-lead author, Dr Dawei Di, of the Cavendish Laboratory, says:

"Our work shows that excited-state spin and molecular motion can work together to strongly impact the performance of OLEDs. This is an excellent demonstration of how quantum mechanics, an important branch of fundamental science, can have direct consequences for a commercial application which has a massive global market."

More information: [DOI: 10.1126/science.aah4345](https://doi.org/10.1126/science.aah4345) "High-performance light-emitting diodes based on carbene-metal-amides", *Science*, [science.sciencemag.org/lookup/ ... 1126/science.aah4345](https://science.sciencemag.org/lookup/.../1126/science.aah4345)

Provided by University of Cambridge

Citation: Rotating molecules create a brighter future (2017, March 30) retrieved 25 April 2024 from <https://phys.org/news/2017-03-rotating-molecules-brighter-future.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.