

## Species appears to evolve quickly enough to endure city temperatures

March 7 2017



Acorn ants evolve quickly to adjust to living in heat-trapping cities. The capability that may prove essential to enduring other sources of rising temperatures, such as climate change. Credit: Ryan Martin

The speed at which a tiny ant evolves to cope to its warming city



environment suggests that some species may evolve quickly enough to survive, or even thrive, in the warmer temperatures found within cities, according to a new study by researchers at Case Western Reserve University.

Evolution is often thought of as a process that takes millennia, but urban acorn ants collected in Cleveland have taken no more than 100 years to adjust to their heat-trapping home of asphalt and concrete steeped with waste heat from cars and buildings—although their tolerance to cold was reduced.

The researchers' findings are published online in the *Biological Journal* of the Linnean Society.

"Ants are an indicator species, and by comparing the physiologies of urban versus rural ants, we can get an idea of whether ants and other coldblooded animals will be able to cope with the temperature changes associated with urbanization and other sources of warming like global climate change," said Sarah Diamond, assistant professor of biology at Case Western Reserve and the study's lead author.

Diamond worked with Ryan Martin, assistant professor of biology, research associates Lacy Chick and Stephanie Strickler, and PhD student Abe Perez.

Cities tend to be a couple of degrees warmer than surrounding rural areas. To determine whether animals evolve or simply adjust to added warmth, the research team collected and compared acorn ants from the city and nearby rural land.

The acorn ant (*Temnothorax curvispinosus*) is widespread and important for decomposing organic material in urban and rural environments across the United States. This species of ant is smaller than a cookie



crumb; an entire colony of 250 can fit in a single acorn.

The researchers collected colonies from within the city of Cleveland and as far as 28 miles east from the Holden Arboretum in suburban Kirtland, Ohio, to study in Diamond's lab.

To isolate evolutionary change from short-term acclimation, groups of rural and city ants were raised in warmer city temperatures for about 10 weeks. Other groups from both locations were raised in cooler rural temperatures for 10 weeks.

Tests of thermal tolerance showed all the ants acclimated.

"They're very plastic," Martin said. "But ants collected from city habitats retained their higher heat tolerance and loss of cold tolerance compared to rural ants, regardless of whether they were born and reared under warm or cool temperatures."

Martin and Diamond believe the Cleveland ants evolved as the city became and remained highly urban during the last 100 years. Because egg-laying queen ants live from five to 15 years, the evolution to heat tolerance likely took no more than 20 generations, the researchers estimated.

With temperatures predicted to rise at least a couple of degrees Celsius over the next century, "Global data suggests that the acclimation response won't be enough to respond to climate change, but some species, like the acorn <u>ants</u>, may evolve quickly enough," Diamond said.

The researchers suggest this experiment can be repeated with other species in cities around the world.

Whether other species can adapt as rapidly to cities and other sources of



temperature change is unknown but remains an important question for researchers trying to predict what future biological communities will look like and how they will function, Diamond and Martin said.

**More information:** Sarah E. Diamond et al, Rapid evolution of ant thermal tolerance across an urban-rural temperature cline, *Biological Journal of the Linnean Society* (2017). DOI: 10.1093/biolinnean/blw047

Provided by Case Western Reserve University

Citation: Species appears to evolve quickly enough to endure city temperatures (2017, March 7) retrieved 2 May 2024 from <u>https://phys.org/news/2017-03-species-evolve-quickly-city-temperatures.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.