

Engineering team develops new approach to limit lead contamination in water

March 16 2017, by Erika Ebsworth-Goold



A team of engineers at Washington University in St. Louis has developed a new way to track where dangerous lead particles might be transported in the drinking water supply during a common abatement procedure. Credit: Washington University in St. Louis


While lead pipes were banned decades ago, they still supply millions of

American households daily with drinking water amid risks of corrosion and leaching that can cause developmental and neurological effects in young children.

One common abatement: Dig up old lead lines and replace a portion of them with another metal, such as copper. However, this technique can dislodge lead particulates and release them into the water supply. Furthermore, partially replacing the lead pipe connection instead of entirely exchanging it is problematic.

A team of engineers at Washington University in St. Louis has developed a new way to [model](#) and track where lead particles might be transported during the partial-replacement process, in an effort to keep the water supply safer.

"We all know lead is not safe, it needs to go," said Assistant Vice Chancellor of International Programs Pratim Biswas, the Lucy and Stanley Lopata Professor and the chair of Energy, Environmental and Chemical Engineering at the School of Engineering & Applied Science. "This is the first comprehensive model that works as a tool to help drinking-water utility companies and others to predict the outcome of an action. If they have the necessary information of a potential action, they can run this model and it can advise them on how best to proceed with a pipe replacement to ensure there are no adverse effects."



This diagram shows the new model at work: By taking into account a number of factors, including water-use patterns and water chemistry, engineers can predict where lead particles will dislodge and end up in the drinking-water supply during a partial lead service line (LSL) replacement. Credit: Biswas Lab

In the research, recently accepted by the journal *Environmental Science & Technology*, Biswas and graduate research assistant Ahmed A. Abokifa present their approach, which predicts how far lead particles and dissolved species might travel after they've been disturbed. Utilizing water-quality modeling they had previously developed for the Environmental Protection Agency, Biswas and his team built a new computational model to predict [lead](#) particulate release, taking into account factors such as pipe age and dimensions, water-use patterns, water chemistry and previous pipe disturbances.

After running a number of simulations testing their predictions, Biswas

and his team are ready to make their model widely available to utility companies and even consumers. Biswas said the companies can input their individual system's information and receive recommendations so partial-pipe replacement can proceed without compromising water quality. Abokifa and Biswas have developed several other drinking-water distribution system models to accurately predict disinfectant concentrations in the pipe network, especially dead-end systems.

"We'll work to make these accurate models readily available, so utilities can download and use them," he added. "The predictions of the model will guide them on best practices to ensure the safety of the public at large."

More information: Ahmed A. Abokifa et al. Modeling Soluble and Particulate Lead Release into Drinking Water from Full and Partially Replaced Lead Service Lines, *Environmental Science & Technology* (2017). [DOI: 10.1021/acs.est.6b04994](https://doi.org/10.1021/acs.est.6b04994)

Provided by Washington University in St. Louis

Citation: Engineering team develops new approach to limit lead contamination in water (2017, March 16) retrieved 28 March 2023 from <https://phys.org/news/2017-03-team-approach-limit-contamination.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.