

Promiscuity slows down evolution of new species

April 10 2017, by Vicky Just



Researchers found that promiscuous species are less likely to diversify into new species. Credit: Clemens Kuepper

Promiscuity mixes up the gene pool and dilutes genetic differences between populations, slowing down the evolution of new species, says new research by an international team led by the University of Bath's Milner Centre for Evolution.

Darwin's theory of evolution showed that new species evolve when natural selection favours individuals with particular characteristics, allowing them to survive, breed and pass on their genes more successfully than their peers. Over time, a group of individuals can evolve to adapt to their local environment and form a new species.

Previously it was thought that sexual selection, when one sex prefers to mate with individuals with specific characteristics, was a strong driver of the formation of new species. One of these processes is the Fisherian



runaway selection whereby arbitrary traits such as conspicuous feathers or fancy songs attract female's attention and hence improve the mating success of the bearer. Due to local variations in female preferences, nearby populations can rapidly differentiate and over time evolve into new species.

However new research in birds, published in the leading academic journal *Evolution*, overturns the <u>conventional wisdom</u> and suggests that promiscuity actually slows down the <u>evolution</u> of new species.

A research team led by the University of Bath, Cardiff University and the Max Planck Institute for Ornithology analysed the genetic structure of shorebird populations to track how they had evolved over time.

The team found that polygamous bird species, which breed with several partners during a season, are less diverse genetically within the species compared to monogamous species that only pair with one mate per season. This contradicts contemporary theories that predict rapid diversification and thus higher genetic differences between populations of polygamous shorebirds.

First author on the paper, Josie D'Urban Jackson, who is jointly supervised at University of Bath and Cardiff University, analysed the data, she said: "Our findings suggest that because of the pressure to find more than one mate, polygamous shorebirds may search large areas and therefore spread their genes as they go".

"This means they effectively mix up the <u>gene pool</u> by diluting any <u>genetic differences</u> between geographically distant locations, so that populations are less likely to diversify into new <u>species</u> over time".

"In contrast, <u>monogamous species</u> only have to find one partner to pair with each season and tend to come back to the same breeding sites over



time. This means they can gradually adapt to their local environment which increases the chance that they will split off and form a <u>new</u> <u>species</u>."

Her supervisor, Professor Tamás Székely from the University of Bath's Milner Centre for Evolution, added: "We're very excited about these findings as this theory completely overturns conventional wisdom.

"You might think that birds choose mates arbitrarily if they are promiscuous, but most individuals prefer a certain type, just as some humans might prefer blonde or dark hair in a partner.

"Our study is consistent with previous findings that polygamous birds sometimes travel hundreds of kilometres to find a suitable partner.

"For example, in Madagascar, we found that the polygamous plovers were similar across the whole island, whereas the monogamous plovers have distinct genetic composition between nearby locations – showing the same pattern that our larger scale study just confirmed."

More information: Josephine D'Urban Jackson et al. Polygamy slows down population divergence in shorebirds, *Evolution* (2017). <u>DOI:</u> <u>10.1111/evo.13212</u>

Provided by University of Bath

Citation: Promiscuity slows down evolution of new species (2017, April 10) retrieved 26 April 2024 from <u>https://phys.org/news/2017-04-promiscuity-evolution-species.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.