

# The rapidly populating coastal region from the Gulf to Pakistan faces a huge tsunami risk

April 6 2017, by Camilla Penney

---



Muscat in Oman is particularly vulnerable. Credit: Pixabay

That tsunamis can cause death and devastation has become painfully clear over the past two decades. On Boxing Day, 2004, a magnitude 9 earthquake off the coast of Sumatra caused waves several metres high to devastate the Indian Ocean – [killing more than 230,000 people](#) in 14 countries. In 2011, another magnitude 9 earthquake, this time off Japan, produced waves up to 20 metres in height, flooding the Fukushima


nuclear reactor. It killed [more than 15,000 people](#).

A new study, published in [Geophysical Journal International](#), by my colleagues and me suggests that a 1,000km long fault at the northern end of the Arabian Sea may pose a similar threat.

The Makran, as the southern coastal region of Iran and Pakistan is known, is a [subduction zone](#). In such regions, one of the Earth's tectonic plates is dragged beneath another, [forming a giant fault known as a "megathrust"](#). As the plates move past each other, they can get stuck, causing stress to build up. At some point the stress becomes high enough that the megathrust breaks in an earthquake.

This was exactly what caused the Sumatra 2004 and Tohoku 2011 earthquakes. When a megathrust moves suddenly, the whole seafloor is offset and the water has to move out of the way over a huge area. This sets off waves with particular characteristics that can cross entire oceans: tsunamis. The phenomenon, along with their potentially large size, makes subduction zone earthquakes particularly dangerous.

But just because a part of a subduction zone produces earthquakes doesn't mean that the whole megathrust can move in one go. We often see that [stress builds up at different rates on different parts of the fault](#), with some parts sliding smoothly past each other. How much of a megathrust can move in one go is important because it determines the size of the resulting earthquake. The amount that the Makran megathrust can move in earthquakes has been [a longstanding question](#), but the hostile climate and challenging politics of the region have made research there difficult.





The Makran region. Credit: NASA

We know that the eastern part of the Makran megathrust (in Pakistan) can produce large earthquakes. A magnitude 8.1 quake off the coast of western Pakistan in 1945 [caused a tsunami](#) which killed about 300 people along the coasts of Pakistan and Oman. There have been several smaller earthquakes on the megathrust since, including [a magnitude 6](#) in February this year.

If the western part of the Makran (in Iran) also produces earthquakes – and the whole Makran megathrust were to move in one go – it could produce a magnitude 9 earthquake, similar to those in Sumatra and Tohoku.

However, we have never actually recorded a subduction earthquake in this part of Makran. In fact, there are only records of one candidate quake from 1483 – and the actual location of this [is disputed](#). But it's important to keep in mind that just because we haven't seen an earthquake doesn't mean that there couldn't be one – particularly since the intervals between earthquakes are often hundreds or thousands of years. Historically, not many people have lived in the remote Iranian Makran, a desert which killed Alexander the Great's army. So earthquakes might simply not have been documented.

## **GPS data**

We used new data to look for tell-tale signs of a possible earthquake. Imagine a piece of paper on a table. If you hold one end and push the other end towards it, the paper crumples up and the distance between the two ends gets shorter. If you let go, the paper flattens out. The fixed end is like a megathrust which is stuck. Indeed, if the Arabian plate is stuck,

and stress is building up, southern Iran will be squeezed and shortened. We can look for evidence of this shortening by using a more accurate version of the GPS systems found in smartphones. My coauthors from the [National Cartographic Centre in Iran](#) have set up a network of GPS stations to measure how fast different parts of Iran are moving relative to Arabia.



The 2004 Sumatra tsunami strikes Ao Nang, Thailand. Credit: David Rydevik/wikipedia, CC BY-SA

We found that the velocities fit with Iran being shortened near the coast,

suggesting that stress is indeed building up – and meaning there could be a large subduction earthquake in the future. This fits with [recent work](#) looking at large boulders along the coast of Oman, thought to have been deposited by tsunamis. The locations of these boulders suggest that the tsunami which brought them there would need to have come from a subduction earthquake, either in western Makran or along the entire subduction zone – including Pakistan. These boulders were probably deposited in the last 5,000 years, but we can't know for sure.

This is a hazard that people need to be aware of, particularly those living in coastal regions around the Arabian Sea. Rapid urbanisation along the Omani and Pakistani coasts in recent years has increased the population exposed to earthquakes and tsunamis in the Makran. Karachi, at the eastern end of the subduction zone, is now a megacity and home to around 25m people. Much of Muscat, the Omani capital, is less than 10 metres above sea level, making it vulnerable to tsunamis. The port of Gwadar in Pakistan, which was badly damaged in a 1945 earthquake, is also undergoing massive development.

To help protect these people, and make sure that they are properly prepared, we need to understand this hazard better. Education and early warning are both key – exercises [testing the Indian Ocean Tsunami Warning System](#) are a step in the right direction, especially if they engage the public.

At the moment, we can only say that a large [earthquake](#) in the Makran is consistent with the limited data which we have available. By continuing to work with scientists in Iran and Pakistan to make more measurements I hope that in the future we will have a much better idea of what to expect from this [subduction zone](#).

This article was originally published on [The Conversation](#). Read the [original article](#).

## Provided by The Conversation

Citation: The rapidly populating coastal region from the Gulf to Pakistan faces a huge tsunami risk (2017, April 6) retrieved 19 April 2024 from <https://phys.org/news/2017-04-rapidly-populating-coastal-region-gulf.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.