

# 'Zero recovery' for corals in back-to-back Australia bleaching

April 10 2017

---



Australia's Great Barrier Reef is suffering a fourth round of coral bleaching this year, after being hit in 1998, 2002 and 2016

Coral bleached for two consecutive years at Australia's Great Barrier Reef has "zero prospect" of recovery, scientists warned Monday, as they confirmed the site has again been hit by warming sea temperatures.

Researchers said last month they were detecting another round of mass bleaching this year after a severe event in 2016, and their fears were confirmed after [aerial surveys](#) of the entire 2,300-kilometre (1,400-mile) long bio-diverse [reef](#).

Last year, the northern areas of the World Heritage-listed area were hardest hit, with the middle-third now experiencing the worst effects.

"Bleached corals are not necessarily dead corals, but in the severe central region we anticipate high levels of coral loss," said James Kerry, a marine biologist at James Cook University who led the aerial surveys.

"It takes at least a decade for a full recovery of even the fastest growing corals, so mass bleaching events 12 months apart offer zero prospect of recovery for reefs that were damaged in 2016."

It is the fourth time coral bleaching—where stressed corals expel the algae that live in their tissue and provide them with food—has hit the reef after previous events in 1998 and 2002.

## **Record temperatures**

"The combined impact of this back-to-back bleaching stretches for 1,500 kilometres, leaving only the southern third unscathed," said Terry Hughes, head of the Centre of Excellence for Coral Reef Studies, also at James Cook University.

## Bleaching on the Great Barrier Reef

Researchers said last month they were detecting another round of mass bleaching this year after a severe event in 2016



Source : Australian government/Greatbarrierreef.org/MNH/NOAA/NationalGeographic/Oceans.org/techocean-science.net

### How it happens

Occurs when corals expel their photosynthetic algae

1 Coral polyps are translucent




2 They receive colour from algae such as **dinoflagellates** that live on them in a  **symbiotic relationship**



3 Algae use nitrogen, phosphorus and other **metabolic waste from coral** to generate energy from the sun via **photosynthesis**



4 Oxygen and other **organic products of photosynthesis** help coral to grow



### Bleaching

- Under environmental stress, such as a change in temperature, corals will expel algae
- Loss of algae causes coral bleaching, making them vulnerable to disease
- Bleached coral will eventually die if they don't regain algae

Corals are made up of colonies of **polyps**, lifeforms related to anemones and jellyfish

© AFP

Australia's Great Barrier Reef is suffering a fourth round of coral bleaching this year, after being hit in 1998, 2002 and 2016

"The bleaching is caused by record-breaking temperatures driven by [global warming](#).

"This year, 2017, we are seeing mass bleaching, even without the assistance of El Nino conditions," he added, referring to the natural climate cycle in the Pacific Ocean.

The Barrier Reef is already under pressure from farming run-off, development and the crown-of-thorns starfish.

It was also recently hammered by category four Cyclone Debbie, which barrelled through the region last month, mostly affecting southern parts around the Whitsunday islands which largely escaped the bleaching.

The extent of the destruction wrought by Debbie is not yet known, although scientists have said damage could range from minor to severe.

Queensland Parks and Wildlife Service and the Great Barrier Reef Marine Park Authority began a study last week to determine how extensive it might be and have already found extensive pulverised coral at popular snorkeling spots.

"The feedback that's coming back is the more sheltered areas have come out a bit better, but they all seem to have suffered some form of damage," Association of Marine Park Tourism Operators' Brendon Robinson told the Australian Broadcasting Corporation.

The Whitsundays is one of the reef's tourist hotspots, attracting more than 40 percent of total visitors to the iconic marine ecosystem.





An aerial view of bleaching in the Cairns-Townsville region of Australia's Great Barrier Reef

## **Multiple impacts**

Hughes warned rising temperatures could see more bleaching events.

"Clearly the reef is struggling with multiple impacts. Without a doubt the most pressing of these is global warming," he said.

"As temperatures continue to rise the corals will experience more and more of these events. One degree Celsius of warming so far has already caused four events in the past 19 years.

"Ultimately, we need to cut carbon emissions, and the window to do so is rapidly closing."

The world's nations agreed in Paris in 2015 to limit average warming to two degrees Celsius (3.6 degrees Fahrenheit) over pre-industrial levels, by curbing fossil fuel burning.

Canberra in 2015 narrowly avoided UNESCO putting the reef on its endangered list, and has committed more than Aus\$2.0 billion (US\$1.5 billion) to protect it over the next decade.

© 2017 AFP

Citation: 'Zero recovery' for corals in back-to-back Australia bleaching (2017, April 10) retrieved 19 April 2024 from <https://phys.org/news/2017-04-recovery-corals-back-to-back-australia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.