


Thin layers of water hold promise for the energy storage of the future

April 28 2017, by Matt Shipman



Low temperature high resolution transmission electron microscope image of a platelet of tungsten oxide dihydrate; the "stripes" are individual layers of atoms separated by water layers. Credit: North Carolina State University

Researchers at North Carolina State University have found that a material which incorporates atomically thin layers of water is able to store and deliver energy much more quickly than the same material that doesn't include the water layers. The finding raises some interesting

questions about the behavior of liquids when confined at this scale and holds promise for shaping future energy-storage technologies.

"This is a proof of concept, but the idea of using [water](#) or other solvents to 'tune' the transport of ions in a layered material is very exciting," says Veronica Augustyn, an assistant professor of materials science and engineering at NC State and corresponding author of a paper describing the work. "The fundamental idea is that this could allow an increased amount of energy to be stored per unit of volume, faster diffusion of ions through the material, and faster charge transfer.

"Again, this is only a first step, but this line of investigation could ultimately lead to things like thinner batteries, faster storage for renewable-based power grids, or faster acceleration in electric vehicles," Augustyn says.

"The goal for many energy-storage researchers is to create technologies that have the high energy density of batteries and the high power of capacitors," says James Mitchell, a Ph.D. student at NC State and lead author of the paper. "Pseudocapacitors like the one we discuss in the paper may allow us to develop technologies that bridge that gap."

For this work, the researchers compared two materials: a crystalline [tungsten oxide](#) and a layered, crystalline [tungsten](#) oxide hydrate – which consists of crystalline tungsten oxide layers separated by [atomically thin layers](#) of water.

When charging the two materials for 10 minutes, the researchers found that the regular tungsten oxide stored more energy than the hydrate. But when the charging period was only 12 seconds, the hydrate stored more energy than the regular material. One thing that's intriguing, the researchers say, is that the hydrate stored energy more efficiently – wasting less energy as heat.

"Incorporating these solvent layers could be a new strategy for high-powered energy-storage devices that make use of layered materials," Augustyn says. "We think the water [layer](#) acts as a pathway that facilitates the transfer of ions through the material.

"We are now moving forward with National Science Foundation-funded work on how to fine-tune this so-called 'interlayer,' which will hopefully advance our understanding of these [materials](#) and get us closer to next-generation [energy](#)-storage devices."

The paper, "Transition from Battery to Pseudocapacitor Behavior via Structural Water in Tungsten Oxide," is published in the journal *Chemistry of Materials*.

More information: James B. Mitchell et al. Transition from Battery to Pseudocapacitor Behavior via Structural Water in Tungsten Oxide, *Chemistry of Materials* (2017). [DOI: 10.1021/acs.chemmater.6b05485](https://doi.org/10.1021/acs.chemmater.6b05485)

Provided by North Carolina State University

Citation: Thin layers of water hold promise for the energy storage of the future (2017, April 28) retrieved 9 April 2024 from <https://phys.org/news/2017-04-thin-layers-energy-storage-future.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--