

## **ATLAS experiment seeks new insight into the Standard Model**

May 10 2017




Figure 1: Distribution of (a) the centrality of the Z boson-photon  $(Z\gamma)$  system and (b) the transverse energy of the photon. These studies show data collected by ATLAS in 2012 (black points) compared to Standard Model predictions (coloured histograms). The signal that is looked for is displayed as the dark red histogram and the main background is shown as the light blue one. A sign of new physics could appear as an enhancement at large momentum, as shown by the dotted blue line in (b). Credit: ATLAS Collaboration/CERN

Ever since the LHC collided its first protons in 2009, the <u>ATLAS</u> <u>Collaboration</u> has been persistently studying their interactions with



increasing precision. To this day, it has always observed them to be as expected by the Standard Model. Though it remains unrefuted, physicists are convinced that a better theory must exist to explain certain fundamental questions: What is the nature of the dark matter? Why is the gravitational force so weak compared to the other forces?

Answers may be found by looking at a very rare process that had previously never been studied by ATLAS: the interaction of four bosons, whose signature is the presence of a Z boson, a photon and two highenergy jets. This is an excellent probe of the electroweak sector of the Standard Model and is very sensitive to new <u>physics</u> models. However, this process is very difficult to detect, given its rarity and the large number of different processes that can mimic its signature (known as "background"). The main background comes from the production of a Z boson and a photon accompanied by two jets, which, unlike the electroweak process we are interested in, is produced via strong interactions.

This leads to differences in the kinematics of the observed jets, which are described in a recently-submitted paper to the *Journal of High Energy Physics*, where ATLAS presents a search for such events using 8 TeV data. Utilizing the knowledge that the recoiling quarks will produce jets that have a very large invariant mass and are widely separated in the detector, ATLAS has been able to reduce the background and mitigate the large experimental uncertainties in order to extract the signal.

The background is suppressed by selecting events where the two jets have an invariant mass larger than 500 GeV. The signal and main background are further separated by quantifying the centrality of the Z-photon system with respect to the two jets. Events with low centrality are more likely to be produced via the electroweak signal process while those with high centrality are more likely to come from strong interactions. This is illustrated in Figure 1(a), where a small excess of



events above the predicted background is observed, with a statistical significance of  $2\sigma$ .

The centrality is used to measure the event rate (cross section) of the signal alone, and of the sum of the signal and the major background. Both were found to be in agreement with Standard Model predictions within the large statistical uncertainty. Anomalies on the coupling of four bosons have also been searched for, by looking at the tails of the photon transverse energy spectrum that may be enhanced by new physics contributions (blue dotted line in Figure 1(b)). No deviation from the Standard Model has been seen and stringent limits are set on the presence of <u>new physics</u> in this region.

The Standard Model will continue to keep its secrets... until the next set of results.

**More information:** Studies of Zγ electroweak production in association with a high-mass dijet system in pp collisions at 8 TeV with the ATLAS detector (arXiv: 1705.01966): <u>arxiv.org/abs/1705.01966</u>

Provided by ATLAS Experiment

Citation: ATLAS experiment seeks new insight into the Standard Model (2017, May 10) retrieved 25 April 2024 from <u>https://phys.org/news/2017-05-atlas-insight-standard.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.