

# Climate change can alter the impact of forest pathogens in trees

May 31 2017

---



The researchers found that future climate changes have the potential to increase disease severity in fungal infected trees. Credit: Riikka Linnakoski

New research on projected climate changes from the University of Helsinki indicates that climate change has alarming potential to increase the damage caused to Norway spruce trees by a naturally circulating

disease spreading fungus.

"This study shows the potential for future [climate](#) changes to alter the impact of [forest](#) pathogens, and the need to incorporate [disease](#) effects into future forestry planning as of now. As this is one of the first experimental tests of projected climate changes on a forestry host-pathogen system, there is an urgent need for further research on this topic," says Dr. Riikka Linnakoski from the department of Forest Sciences, Faculty of Agriculture and Forestry.

While much research has addressed the effects of projected climate changes on tree species distributions and their productivity, the potential impacts of pests and pathogens have received far less attention. However, these represent some of the most important threats to global forest health, particularly in regions where [climate change](#) is expected to be most severe, such as northern Europe. To mitigate the impacts of climate change, understanding the factors that trigger the development of forest tree disease epidemics and host susceptibility is essential.

The group of researchers evaluated the effects of projected climate changes on Norway spruce seedlings experimentally infected with a forest pathogen capable of killing mature [trees](#). In nature, a spruce bark beetle carries and transmits the disease to the trees. The researchers manipulated both temperature and carbon dioxide (CO<sub>2</sub>) levels based on projections for Finland between 2030 and 2100, and compared disease outcomes in seedlings against current ambient conditions.

The researchers found that future climate changes have the potential to increase disease severity in fungal infected trees, with the most distant projections likely to be the most detrimental to tree health. However, an interesting result was that the effects of climate change on [disease severity](#) can vary markedly among fungal strains, i.e., genetic variations of the same fungal species.

**More information:** Riikka Linnakoski et al, Testing Projected Climate Change Conditions on the *Endoconidiophora polonica* / Norway spruce Pathosystem Shows Fungal Strain Specific Effects, *Frontiers in Plant Science* (2017). [DOI: 10.3389/fpls.2017.00883](https://doi.org/10.3389/fpls.2017.00883)

Provided by University of Helsinki

Citation: Climate change can alter the impact of forest pathogens in trees (2017, May 31)  
retrieved 19 April 2024 from

<https://phys.org/news/2017-05-climate-impact-forest-pathogens-trees.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.