


Chaotically magnetized cloud is no place to build a star, or is it?

June 14 2017



Artist impression of chaotic magnetic field lines very near a newly emerging protostar. Credit: NRAO/AUI/NSF; D. Berry


For decades, scientists thought that the magnetic field lines coursing around newly forming stars were both powerful and unyielding, working like jail bars to corral star-forming material. More recently, astronomers have found tantalizing evidence that large-scale turbulence far from a nascent star can drag magnetic fields around at will.

Now, a team of astronomers using the Atacama Large Millimeter/submillimeter Array (ALMA) has discovered a surprisingly weak and wildly disorganized [magnetic field](#) very near a newly emerging protostar. These observations suggest that the impact of magnetic fields on star formation is more complex than previously thought.

The researchers used ALMA to map the magnetic field surrounding a young protostar dubbed Ser-emb 8, which resides about 1,400 light-years away in the Serpens star-forming region. These new observations are the most sensitive ever made of the small-scale magnetic field surrounding a young protostar. They also provide important insights into the formation of low-mass [stars](#) like our own sun.

Previous observations with other telescopes found that magnetic fields surrounding some young protostars form a classic "hourglass" shape - a hallmark of a strong magnetic field - that starts near the protostar and extends many light-years into the surrounding cloud of dust and gas.

"Before now, we didn't know if all stars formed in regions that were controlled by [strong magnetic fields](#). Using ALMA, we found our answer," said Charles L. H. "Chat" Hull, an astronomer and NRAO Jansky Fellow at the Harvard-Smithsonian Center for Astrophysics (CfA) in Cambridge, Mass., and lead author on a paper appearing in the *Astrophysical Journal Letters*. "We can now study magnetic fields in star-forming clouds from the broadest of scales all the way down to the forming star itself. This is exciting because it may mean stars can emerge from a wider range of conditions than we once thought."



Texture represents the magnetic field orientation in the region surrounding the Ser-emb 8 protostar, as measured by ALMA. The gray region is the millimeter wavelength dust emission. Credit: ALMA (ESO/NAOJ/NRAO); P. Mocz, C. Hull, CfA

ALMA is able to study magnetic fields at the small scales inside star-forming clumps by mapping the polarization of light emitted by dust grains that have aligned themselves with the magnetic field.

By comparing the structure of the magnetic field in the observations with cutting-edge supercomputer simulations on multiple size scales, the astronomers gained important insights into the earliest stages of magnetized star formation. The simulations - which extend from a relatively nearby 140 astronomical units (an astronomical unit is the average distance from the Earth to the sun) from the protostar to as far out as 17 light-years - were performed by CfA astronomers Philip Mocz and Blakesley Burkhart, who are co-authors on the paper.

In the case of Ser-emb 8, the astronomers think they have captured the original magnetic field around the protostar "red handed," before outflowing material from the star could erase the pristine signature of the magnetic field in the surrounding molecular cloud, noted Mocz.

"Our observations show that the importance of the magnetic field in [star formation](#) can vary widely from star to star," concluded Hull. "This protostar seems to have formed in a weakly magnetized environment dominated by turbulence, while previous observations show sources that clearly formed in strongly magnetized environments. Future studies will reveal how common each scenario is."

More information: Charles L. H. Hull et al. Unveiling the Role of the Magnetic Field at the Smallest Scales of Star Formation, *The Astrophysical Journal* (2017). [DOI: 10.3847/2041-8213/aa71b7](https://doi.org/10.3847/2041-8213/aa71b7)

Provided by National Radio Astronomy Observatory

Citation: Chaotically magnetized cloud is no place to build a star, or is it? (2017, June 14)
retrieved 9 April 2024 from

<https://phys.org/news/2017-06-chaotically-magnetized-cloud-star.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.