

## **CTA prototype telescope, ASTRI, achieves first light**

June 15 2017



The ASTRI is one of three Small-Sized Telescope (SST) designs being prototyped. SSTs will outnumber all the other telescopes with 70 planned to be spread out over several square kilometers in the southern hemisphere array only. This is because very high-energy gamma-ray showers produce a large amount of Cherenkov light, and the SST is sensitive to the highest energy gamma rays (between a few TeV and 300 TeV). Credit: CTA Collaboration



During the nights of 25 and 26 May, the camera of the ASTRI telescope prototype recorded its first ever Cherenkov light while undergoing testing at the astronomical site of Serra La Nave (Mount Etna) in Sicily managed by INAF-Catania. This comes not long after its optical validation was achieved in November 2016. This accomplishment was the first optical demonstration for astronomical telescopes using the novel Schwarzschild Couder dual-mirror design. The ASTRI telescope is a proposed small-sized telescope design for the Cherenkov Telescope Array (CTA).

Although the camera was not fully configured, the ASTRI team was still able to capture its first Cherenkov light and produce beautiful images of the showers generated by cosmic rays in the Earth's atmosphere. This information will allow scientists to reconstruct the direction of gammaray photons emitted from celestial sources (indicated by the yellow line on the image on the left). The camera is based on novel SiPM small pixel sensors (7 mm x 7 mm) and CITIROC ASICS peak-finder front-end electronics. The camera was specifically designed to fit on the dual mirror ASTRI telescopes for covering a large field of view of 10 x 10 degrees.

"The results gathered from the images are very much in line with the performance expectations established in the lab, proving the functionality of the camera for the ASTRI telescopes," said Osvaldo Catalano, astronomer at the INAF-Palermo Institute and leader of the ASTRI camera development program. "The ASTRI team's achievement is an important milestone and a big step toward the pre-production phase of ASTRI and CTA," said Giovanni Pareschi, astronomer at the INAF-Milano and principal investigator of the ASTRI project.

Three classes of telescope types are required to cover the full CTA veryhigh energy range (20 GeV to 300 TeV): Medium-Sized Telescopes (12 m diameter dish) will cover CTA's core energy range (100 GeV to 10



TeV) while the Large-Sized Telescopes (23 m) and Small-Sized Telescopes (4 m) or SSTs are planned to extend the energy range below 100 GeV and above a few TeV, respectively. The ASTRI <u>telescope</u> is one of three proposed SST designs being prototyped and tested for CTA's southern hemisphere array. It uses an innovative dual-mirror Schwarzschild-Couder configuration with a 4.3 m diameter primary mirror and a 1.8 m monolithic secondary mirror.



During the nights of 25 and 26 May 2017, the camera of the ASTRI telescope prototype recorded its first ever Cherenkov light while undergoing testing at the astronomical site of Serra La Nave (Mount Etna) in Sicily managed by INAF-Catania. Credit: Cherenkov Telescope Array Observatory

The SSTs will outnumber all the other telescopes with 70 planned to be spread out over several square kilometres in the southern hemisphere



array. Since the showers generated by very high-energy gamma-rays (between a few TeV and 300 TeV) produce a large amount of Cherenkov light, it is sufficient to build telescopes with small mirrors to catch that light. The SSTs' wide coverage and large number, spread over a large area, will improve CTA's ability to detect the highest energy gamma rays.

**More information:** The ASTRI SST-2M Prototype: Camera and Electronics. <u>arxiv.org/abs/1307.5142</u>

Provided by Cherenkov Telsecope Observatory

Citation: CTA prototype telescope, ASTRI, achieves first light (2017, June 15) retrieved 27 June 2024 from <u>https://phys.org/news/2017-06-cta-prototype-telescope-astri.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.