

When estimating extinction risk, don't leave out the males

June 21 2017



Researchers studied the survival and breeding behavior of the Snowy Plover, which are male-biased populations. Credit: Luke Eberhart-Phillips

Extinction risk for some species could be drastically underestimated because most demographic models of animal populations only analyse

the number and fertility of females, dismissing male data as 'noise'.

An international team of researchers, including a PhD student and a professor from the Milner Centre for Evolution at the University of Bath, found that [population growth](#) in birds was very sensitive to the ratio of males to females in a [population](#), called the adult [sex ratio](#) (ASR), which has previously been shown to affect mating behaviour.

The researchers have published their findings in the prestigious science journal, *Proceedings of the National Academy of Sciences*.

Species with a high number of males in a population tend to be polygamous: the females typically breed with several partners in one season, leaving the males to do most of the care for their offspring. However, with a large number of males competing for fewer females, a male biased population can also lead to increased aggression and harassment of females which can reduce [survival rates](#).

Conversely, species with a higher number of females to males have lower parental investment by fathers which can also adversely affect survival of offspring. Where numbers of each sex were evenly balanced, parents cooperated more in care of their young and breeding pairs tended to be monogamous.



Researcher Luke Eberhart-Phillips with a plover. Credit: Luke Eberhart-Phillips

The researchers looked at why an unbalanced sex ratio should develop in some birds. They studied the survival and breeding behaviour of 1,259 wild Snowy Plovers in north-western Mexico over a seven year period, a species that is typically male biased. The team found that whilst a similar number of males and females hatched, males had higher survival rates at all stages of life, but particularly at the juvenile stage, when individuals are independent of their parents but not fully grown.

These findings could impact the conservation of endangered species, since ignoring the sex ratio of a population could miscalculate the survival rates and therefore underestimate the vulnerability of [species](#) to extinction.

Professor Tamás Székely, from the Milner Centre for Evolution at the University of Bath, said: "Our research has shown that population growth

is very sensitive to changes in the survival of the limiting sex. A biased sex ratio either way can compromise population stability - too many males increases violence, whereas too many females leads to less cooperation between parents which reduces the survival of offspring.

"Current extinction models only take numbers of [females](#) into account - our research shows this approach could drastically underestimate [extinction risk](#) and states that [males](#) should also be part of the equation."

Luke Eberhart-Phillips, PhD student at Bielefeld University (Germany) and first author of the paper, said: "Our research shows that in Snowy Plovers the population is male-biased due to [sex differences](#) in survival of young individuals, rather than at birth or during adulthood.

"Therefore, the evolution of different mating systems - whether polygamous or monogamous - could be a consequence of innate sex differences in survival. In mammals, population sex ratios are typically female biased, whereas in birds, these sex ratios are usually male biased. "Based on our results, one could speculate that sex differences in survival during early life are driving these large-scale patterns and the evolution of breeding behaviours."

More information: Luke J. Eberhart-Phillips et al, Sex-specific early survival drives adult sex ratio bias in snowy plovers and impacts mating system and population growth, *Proceedings of the National Academy of Sciences* (2017). [DOI: 10.1073/pnas.1620043114](https://doi.org/10.1073/pnas.1620043114)

Provided by University of Bath

Citation: When estimating extinction risk, don't leave out the males (2017, June 21) retrieved 20 April 2024 from <https://phys.org/news/2017-06-extinction-dont-males.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.