

Formation of artificial cells with a skeletal support reinforcement to withstand pressure realized

June 26 2017



(A) The illustration of the cross section of a liposome with DNA skeletal structure. (B) Schematic diagram showing the DNA network formation. Credit: *PNAS*

A research group of Tokyo University of Agriculture and Technology, Tokyo Institute of Technology, Keio University and Tohoku University have successfully developed an artificial cytoskeletal structure for cell models (liposomes or artificial cells) using DNA nanotechnology, and demonstrated that liposomes with the cytoskeletal structure were almost as strong as living cells.

Liposomes have been used as a material in many common products such as capsules for drug delivery and cosmetics. However, the membrane is



fragile, leading to problems such as collapse of liposomes by slight stimulus, causing the entrapped compounds to easily leak. To improve the function of liposome as a capsule, it has been needed to develop a method that can toughen liposomes and control their strength.

In order to increase the strength of liposomes, Miho Yanagisawa at Tokyo University of Agriculture and Technology, Masahiro Takinoue at Tokyo Institute of Technology, and their colleagues developed a <u>network</u> <u>structure</u> of DNA that supported membranes similar to a cytoskeleton in living cells using DNA nanotechnology (Figure 1A). The DNA strands used in this study bind to each other and create a network <u>structure</u> by decreasing temperature (Figure 1B). Also, since DNA has negative electric charge, using the attractive force between DNA and the inner layer of liposome with positive charge, they succeeded in forming a DNA cytoskeleton that directly supported the liposome membrane as backing.





When the osmotic pressure is applied to liposomes with the DNA skeleton (left) and without it (right). Credit: *PNAS*

Liposomes are generally easy to collapse even when a slight <u>osmotic</u> <u>pressure</u> was applied to liposomes. In contrast, <u>liposomes</u> with the DNA cytoskeleton they developed were tolerant of an osmotic pressure even when the applied osmotic pressure was comparable to that assumed to be applied in our body (Figure 2). This reinforcement function is derived from the network structure of DNA; also, there is an advantage that the strength of the DNA cytoskeleton can be control by the DNA base sequence design. In addition, since the artificial cytoskeleton is formed using DNA, it is expected to impart various functions such as induction



of membrane collapse based on DNA chemical reactions for controlled release of entrapped compounds.

This research results are published on the online version of *Proceedings* of the National Academy of Sciences on June 26, 2017.

More information: Chikako Kurokawa el al., "DNA cytoskeleton for stabilizing artificial cells," *PNAS* (2017). <u>www.pnas.org/cgi/doi/10.1073/pnas.1702208114</u>

Provided by Tokyo Institute of Technology

Citation: Formation of artificial cells with a skeletal support reinforcement to withstand pressure realized (2017, June 26) retrieved 26 April 2024 from <u>https://phys.org/news/2017-06-formation-artificial-cells-skeletal-application.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.