

Invasive alien plant control assessed for the Kruger National Park in South Africa

June 6 2017




Sunset Dam, Kruger National Park, South Africa, is heavily infested with water lettuce (*Pistia stratiotes*). The population was effectively eliminated by a combination of biological and chemical control (right). Credit: Brian W. van Wilgen

Along with urban and agricultural encroachment and pollution mitigation, managing invasive alien species is a key intervention needed to protect biodiversity. Unfortunately, on a global scale there are not enough funds to meet the requirements for effective conservation everywhere, which means that scarce funds need to be allocated where they can be used most efficiently.

In order to find out whether the historical measures undertaken at the Kruger National Park in South Africa have been effective and optimised, researchers led by Prof. Brian W. van Wilgen of Stellenbosch University assessed the invasive alien plant control operations in the protected area over several decades. Their findings and recommendations are published in the open access journal *Neobiota*.

While the first invasive alien plants in the [national park](#), which stretches over two million hectares, were recorded back in 1937, it was not until the mid-1950s that attempts at controlling them began. By the end of the century, the invasive alien plant control program had expanded substantially.

However, the scientists found out that despite several [invasive alien species](#) having been effectively managed, the overall control effort was characterised by several shortcomings, including inadequate goal-setting and planning, the lack of a sound basis on which to apportion funds, and the absence of any monitoring of control effectiveness.



Dense invasions of the West Indian Lantana (*Lantana camara*) along the Sabie River in the Kruger National Park have required intensive mechanical and chemical control to clear. Credit: Brian W. van Wilgen

Furthermore, the researchers report that over one third (40%) of the funding has been spent on species of lower concern. Some of these funds have been allocated so that additional employment could be created onsite, or because of a lack of clear evidence about the impact of certain species.

As a result of their observations, the team concludes three major strategies when navigating invasive alien species control operations.

Firstly, a thorough assessment of the impact of individual species needs to be carried out prior to allocating substantial funds. On the other hand, in case of a new invasion, management needs to be undertaken immediately before any further spread of the population and the subsequent rise in control costs. Monitoring and assessments have to be performed regularly in order to identify any new threats that could potentially be in need of prioritisation over others.



Populations of erect prickly pear (*Opuntia stricta*) in the Kruger National Park, South Africa have been effectively reduced to low numbers with biological control (right). Credit: Brian W. van Wilgen

Secondly, the scientists suggest that the criteria used to assign priorities to invasive alien species should be formally documented, so that management can focus on defensible priorities. They propose using a framework employing mechanisms of assessments used in the [International Union for Conservation of Nature's Global Invasive Species Database](#).

The authors also point out that re-allocating current funds to species of greater concern is needed for [species](#) that cannot be managed via less expensive solutions such as biological control. Taking care of alien plant populations living outside of the park, but in close proximity, is also crucial for the prevention of re-invasions of already cleared areas.

More information: Brian W. van Wilgen et al, An assessment of the evolution, costs and effectiveness of alien plant control operations in Kruger National Park, South Africa, *NeoBiota* (2017). [DOI: 10.3897/neobiota.35.12391](#)

Provided by Pensoft Publishers

Citation: Invasive alien plant control assessed for the Kruger National Park in South Africa (2017, June 6) retrieved 27 April 2024 from <https://phys.org/news/2017-06-invasive-alien-kruger-national-south.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.