

# Nanotechnology reveals hidden depths of bacterial 'machines'

June 8 2017

---




Illustration of a carboxysome. Credit: Dr Luning Liu, University of Liverpool

New research from the University of Liverpool, published in the journal

*Nanoscale*, has probed the structure and material properties of protein machines in bacteria, which have the capacity to convert carbon dioxide into sugar through photosynthesis.

Cyanobacteria are a phylum of bacteria that produce oxygen and energy during photosynthesis, similar to green plants. They are among the most abundant organisms in oceans and fresh water. Unique internal 'machines' in cyanobacteria, called carboxysomes, allow the organisms to convert [carbon dioxide](#) to sugar and provide impacts on global biomass production and our environment.

Carboxysomes are nanoscale polyhedral structures that are made of several types of proteins and enzymes. So far, little is known about how these 'machines' are constructed and maintain their organisation to perform carbon fixation activity.

Researchers from the University's Institute of Integrative Biology, led by Royal Society University Research Fellow Dr Luning Liu, examined in depth the native [structure](#) and mechanical stiffness of carboxysomes using advanced microscopes and biochemical approaches.

For the first time, the researchers were able to biochemically purify active carboxysomes from cyanobacteria and characterize their carbon fixation activity and protein composition. They then used electron microscopy and [atomic force microscopy](#) to visualise the morphology and internal protein organization of these bacterial machines.

Furthermore, the intrinsic mechanical properties of the three-dimensional structures were determined for the first time. Though structurally resembling polyhedral viruses, carboxysomes were revealed to be much softer and structurally flexible, which is correlated to their formation dynamics and regulation in bacteria.

Dr Liu, said: "It's exciting that we can make the first 'contact' with these nano-structures and understand how they are self-organised and shaped using state-of-the-art techniques available at the University. Our findings provide new clues about the relationship between the structure and functionality of native carboxysomes."

The self-assembly and modularity features of carboxysomes make them interesting systems for nanoscientists, synthetic biologists and bioengineers, who hope to find ways to design new nanomaterials and nano-bioreactors.

"We're now just starting to understand how these bacterial machines are built and work in nature. Our long-term vision is to harness the knowledge to make further steps towards better design and engineering of bio-inspired machines," added Dr Liu, "The knowledge and techniques can be extended to other biological machines."

**More information:** Matthew Faulkner et al, Direct characterization of the native structure and mechanics of cyanobacterial carboxysomes, *Nanoscale* (2017). [DOI: 10.1039/C7NR02524F](https://doi.org/10.1039/C7NR02524F)

Provided by University of Liverpool

Citation: Nanotechnology reveals hidden depths of bacterial 'machines' (2017, June 8) retrieved 6 February 2023 from <https://phys.org/news/2017-06-nanotechnology-reveals-hidden-depths-bacterial.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.