


## **Energy-harvesting bracelet could power** wearable electronics

July 25 2017, by Lisa Zyga



Right

(Left) Broken-out sectional view of the energy-harvesting bracelet, in which magnets moving through copper coils generate a voltage. (Right) Photo of the bracelet. Credit: Wu et al. ©2017 American Institute of Physics

(Phys.org)—Researchers have designed a bracelet that harvests biomechanical energy from the wearer's wrist movements, which can then be converted into electricity and used to extend the battery lifetime of personal electronics or even fully power some of these devices.

The researchers, Zhiyi Wu and coauthors at Chongqing University of



Technology and the China Academy of Engineering Physics in Sichuan, have published a paper on the energy-harvesting bracelet in a recent issue of *Applied Physics Letters*.

"The energy-harvesting bracelet could potentially be used to help power activity trackers, smartwatches, and even some health-monitoring applications," Wu told *Phys.org*.

The bracelet works due to electromagnetic induction, in which the interaction between a moving magnetic field and an electrical conductor generates a voltage. Inside the bracelet's outer shell, electrically conductive <u>copper coils</u> wind around an inner shell. Inside this inner shell are two moving magnets that rotate around the bracelet in response to the wearer's <u>wrist movements</u>. As the magnets move through the copper coils, they generate a voltage due to <u>electromagnetic induction</u>.

The researchers explain that, according to Faraday's Law, the amount of voltage generated is proportional to the number of times the magnets rotate around the bracelet. So the faster the motion, the greater the power generated by the bracelet. Tests showed that the magnets can move with an average rotational velocity of between 100 and 300 revolutions per minute, depending on the type and intensity of the wrist movements. The researchers also demonstrated that, from a single shake of the wrist, the bracelet can charge a small capacitor to approximately 1 volt in a fraction of a second and generate an average power of more than 1 milliwatt.

One of the advantages of the bracelet design is its symmetry, which allows it to transform motion in any orientation into the rotational motion of the moving magnets, and also does not require the magnets to be in any particular initial position. Other types of electromagnetic energy harvesters, such as those in the shape of tubes or flat objects, have limited degrees of freedom and only work in certain orientations.



"The greatest advantage of the bracelet is that it can transform translational motion in any orientation into <u>rotational motion</u>, starting from any initial position of the magnets," Wu said.

In the future, the researchers plan to investigate several different areas. One idea is to use a circular magnetization magnet to fabricate the magnets. They also want to further reduce friction in the <u>bracelet</u> and introduce triboelectric energy-harvesting technology to utilize the remaining friction.

**More information:** Zhiyi Wu et al. "An energy harvesting bracelet." *Applied Physics Letters*. DOI: <u>10.1063/1.4991666</u>

## ABSTRACT

An energy harvesting bracelet (EHB) based on two mutually exclusive circular motion permanent magnetic movers is demonstrated, which is able to capture energy through the natural motions of the wearer's wrist. The EHB can transform the translational motion in any orientation except the axial into the rotational motion of the movers, which passes through four coil transducers and induces significantly large electromotive forces across the coils. A prototype EHB is shown to produce power that can charge a capacitor with 470  $\mu$ F 25 V up to more than 0.81 V during at most 132 ms from any single excitations.

## © 2017 Phys.org

Citation: Energy-harvesting bracelet could power wearable electronics (2017, July 25) retrieved 16 April 2024 from https://phys.org/news/2017-07-energy-harvesting-bracelet-power-wearable-electronics.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.