

No gene is an island: Gene's position on chromosome affects mutations

July 25 2017



Bacterial colonies with a fluorescent reporter protein appearing on tetracycline plates over three days (left to right). Bacteria can grow and form colonies either due to single-step mutations that activate the tetracycline pump gene (dark colonies, present early on), or due to "amplifications" that increase the copy number of the gene (bright colonies), which appear over time. Amplifications, as well as some other mutation types depend on genes in the chromosomal neighborhood of the resistance gene. Credit: Magdalena Steinrück



Genes do not exist in isolation. Like beads on a string, they sit next to each other on long DNA molecules called chromosomes. So far, little has been known about how the position of a gene on a chromosome affects its evolution. A new study by Calin Guet, Professor at the Institute of Science and Technology Austria (IST Austria), and Magdalena Steinrück, PhD student in Guet's group, shows that a gene's neighborhood can influence whether and how the activity of a gene changes. The study was published today in the open access journal *eLife*.

From bacteria to humans, the way organisms look and function depends a lot on how much product is made from each gene, in other words how active their genes are. The activity of a gene can be changed by <u>mutations</u>, alterations in the DNA that can be inherited. This can make the organism better adapted to its environment - or worse. For example, a bacterium that produces more of a protein that helps it get rid of an antibiotic may survive, while its competitors are killed by the antibiotic. In their study, Steinrück and Guet used experimental evolution to investigate how the position of a gene on the chromosome influences mutations that increase the activity of the gene.

The researchers engineered the DNA of the gut bacterium Escherichia coli to place an <u>antibiotic resistance gene</u> at different positions of its chromosome. This gene allows the bacterium to pump the <u>antibiotic tetracycline</u> out of the cell. At the start of the experiment, the gene was almost completely switched off. The researchers then added more and more tetracycline to the bacteria's environment. This challenges the bacteria to switch the gene on by mutation, as producing more of the antibiotic resistance gene allows them to pump the antibiotic out, so that they multiply and survive. The authors found that the bacteria were much more likely to survive with the resistance gene in some places of the chromosome than at others. This is because the gene's neighborhood affects which types of mutations can occur - some forms of mutations can only occur if the neighboring genes permit them to.



"We show that genes can influence the mutation and adaptive potential of nearby genes. The organization of <u>genes</u> on a chromosome is both cause and consequence of evolutionary change", explains Calin Guet. Their research has vital implications, for example for the global health problem of antibiotic resistance. Magdalena Steinrück: "It is similar to the way humans develop: People in your neighborhood can influence greatly how your future looks like. Our study shows that antibiotic resistance developing from gene activating mutations depends strongly on the gene's neighborhood." Chromosome neighborhood effects have not been looked at in detail so far. In future, such findings could help to better estimate whether new antibiotic <u>resistance</u> is to be expected.

More information: Magdalena Steinrueck et al, Complex chromosomal neighborhood effects determine the adaptive potential of a gene under selection, *eLife* (2017). <u>DOI: 10.7554/eLife.25100</u>

Provided by Institute of Science and Technology Austria

Citation: No gene is an island: Gene's position on chromosome affects mutations (2017, July 25) retrieved 16 June 2024 from <u>https://phys.org/news/2017-07-gene-island-position-chromosome-affects.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.