

# Herbicide boost for tadpoles: study

July 5 2017

---



Tadpoles. Credit: Wikipedia/böhringer friedrich

Maligned as a bee-killer and possibly cancer-causing, a common herbicide has turned out to be a boon for tadpoles making them more toxic to predators, researchers said Wednesday.

Common toad larvae exposed to glyphosate, used in the well-known [herbicide](#) Roundup, contained higher doses of bufadienolides—life-saving natural chemicals found in some plants and animals.

Bufadienolides taste bad to put off potential tadpole diners, and can kill in large quantities.

"That environmental pollution can induce changes in bufadienolide production is relevant not only for toads but also for their predators," said study co-author Veronika Bokony of the Hungarian Academy of Sciences.

While some toad species are declining, she pointed out, others such as the Australian cane toad are invading new areas and disturbing established ecosystems.

"Thus, if some pesticides make toads more poisonous, this might alter predatory-prey dynamics and the structure of natural communities in freshwater habitats," Bokony told AFP.

Toads with more bufadienolides in their bodies are more toxic. Large Australian predators like crocodiles, for example, die from eating [cane toads](#) which are a large species and therefore contain more toxins.

For the experiment, Bokony and a team raised common toad larvae in water polluted with a glyphosate-based herbicide, and noted that the amount of bufadienolides in their tiny bodies were elevated.

"So these tadpoles became a more 'concentrated' source of bufadienolides compared to their siblings that were raised in clean water," said Bokony.

Glyphosates are widely used in agriculture, and pollute freshwater bodies

that receive runoff from farms.

The European Union will decide in December whether to renew the licence for glyphosate, which is produced by US agro-chemicals giant Monsanto.

Last year, Europe limited use of the herbicide for research, over fears that it causes cancer.

The EU's chemical agency said glyphosate should be not be classified as cancer-causing.

But this is challenged by scientists and environmentalists who point to a finding by the International Agency for Research on Cancer that [glyphosate](#) is "probably carcinogenic".

The study was published in *Proceedings of the Royal Society B*.

**More information:** Chronic exposure to a glyphosate-based herbicide makes toad larvae more toxic, *Proceedings of the Royal Society B*, [rspb.royalsocietypublishing.or ... .1098/rspb.2017.0493](https://phys.org/news/2017-07-herbicide-boost-tadpoles.html)

© 2017 AFP

Citation: Herbicide boost for tadpoles: study (2017, July 5) retrieved 3 May 2024 from <https://phys.org/news/2017-07-herbicide-boost-tadpoles.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--