

## New materials with important applications in enhanced oil recovery

July 19 2017



Differences of the movement of oil through the micro channels of the addition of surfactant in the presence of silica nanoparticles as compared to the surfactant alone showing how the nano-sand alters the extraction of the oil. An effective formula for EOR applications, according to the scientists at Swansea University. Credit: Goshtasp Cheraghian /Azad University/Iran



A new class of materials which are suitable agents for oil displacing in enhanced oil recovery have been developed by scientists in the Energy Safety Research Institute (ESRI) at Swansea University and scientists at Islamic Azad University in Iran.

The new nanoparticle-surfactant complexes, composed of sodium dodecyl sulfate (SDS) surfactant and fumed silica nanoparticles (Si-NPs) have important applications in enhanced oil <u>recovery</u> (EOR). The materials are shown to improve the oil recovery by 58% compared to 45% recovery in the presence of surfactant alone.

The researchers led by Goshtasp Cheraghian and Professor Andrew R. Barron reported their find in the American Chemical Society journal *Industrial & Engineering Chemistry Research*.

Fabrication and testing of these materials were carried out by Goshtasp Cheraghian (Member of Young Researchers at Azad University) and Sajad Kiani, (a PhD student at the Energy Safety Research Institute at the Swansea University Bay Campus).

There, they used a 5-spot glass micromodel to evaluate the suitable agents for oil displacing in EOR. Such micromodel experiments have been used to investigate the mechanism of the fluid flow on porous mediums via flow visualization, pore space geometry, topology and heterogeneity effects, which are not possible to assess using traditional core-flood experiments.

"It is a surprise that the addition of silica nanoparticles, essentially nanosand, to the surfactant solution leads to such a large flow modification," said Barron, "the changes are due to an alteration of the viscosity as well as effective wettability alteration, which effects the sweeping of the oil towards the recovery point."



The results of this work support an improved insight into the role of NPs and surfactants in <u>enhanced oil recovery</u> and future use in EOR formulations. Barron described the multinational team as "a great example of international collaboration across boarders aimed at developing new materials for minimizing the impact of oil production through maximizing recovery."

**More information:** Goshtasp Cheraghian et al. Silica Nanoparticle Enhancement in the Efficiency of Surfactant Flooding of Heavy Oil in a Glass Micromodel, *Industrial & Engineering Chemistry Research* (2017). DOI: 10.1021/acs.iecr.7b01675

Provided by Swansea University

Citation: New materials with important applications in enhanced oil recovery (2017, July 19) retrieved 16 June 2024 from <u>https://phys.org/news/2017-07-materials-important-applications-oil-recovery.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.