


Nanoscale magnetic device mimics behavior of neurons and can recognize human audio signals

July 27 2017, by Bob Yirka



Schematic of a spin-torque nano-oscillator, consisting of a non-magnetic spacer (gold) between two ferromagnetic layers, with magnetization m for the free layer (blue) and M for the fixed layer (silver). A current injected into the oscillator induces magnetization precessions of m . For our experiments we used a nano-oscillator with a diameter of 375 nm; however, diameters of 10–500 nm are possible. Credit: *Nature* (2017). DOI: 10.1038/nature23011

(Phys.org)—A team of researchers with members from France, Japan and the U.S. has created a nanoscale magnetic device that mimics the behavior of neurons and can be used to recognize human audio signals. In their paper published in the journal *Nature*, the team describes how they built their device, how it works and how accurate they found its results. Frank Hoppensteadt with the Courant Institute of Mathematical Sciences offers a News & Views [piece](#) on the work done by the team and outlines the ideas behind neuromorphic (brain-like) computers and how some of them are being created.

As their name implies, [neuromorphic computers](#) are computing devices that work by mimicking the way the human brain works—in such systems, [researchers](#) create devices meant to mimic [neurons](#), synapses, etc. In this new effort, the researchers built such a device and used it to recognize human audio signals. Notably, such devices are typically analog rather than digital and are expected to offer some advantages over traditional computers (reduced energy need, trainability and higher data transfer speeds) if they can be developed. In this new effort, the researchers built a nanoscale neuromorphic computer with 400 neurons arranged in an array and placed on a computer chip.

The neurons were represented by tiny three-layer pillars—a non-magnetic spacer between two ferromagnetic layers. A continuous electric current induced direct magnetization at the top of the neuron, and a secondary current caused the magnetization to oscillate in a stable way. To use the array as a computing device, the researchers spoke a single-digit number such as "one" aloud into a microphone, which fed the sound to a digital processor that converted it to an electrical signal. The [electrical signal](#) was then fed to the neuron-mimicking chip, which the researchers referred to as a reservoir. Another digital computer read the oscillations of the neurons, analyzed them, and then translated the

result to a human-recognizable form, such as displaying the word "one" on a video screen. In testing the device with multiple voices, the team found it to be 99.6 percent accurate.

The [device](#) is clearly rudimentary, and was built purely for research purposes, but it does demonstrate that neuromorphic computers are more than simple flights of fancy—they may very well augment future computers, offering new ways to process information.

More information: Jacob Torrejon et al. Neuromorphic computing with nanoscale spintronic oscillators, *Nature* (2017). [DOI: 10.1038/nature23011](https://doi.org/10.1038/nature23011)

Abstract

Neurons in the brain behave as nonlinear oscillators, which develop rhythmic activity and interact to process information. Taking inspiration from this behaviour to realize high-density, low-power neuromorphic computing will require very large numbers of nanoscale nonlinear oscillators. A simple estimation indicates that to fit 10⁸ oscillators organized in a two-dimensional array inside a chip the size of a thumb, the lateral dimension of each oscillator must be smaller than one micrometre. However, nanoscale devices tend to be noisy and to lack the stability that is required to process data in a reliable way. For this reason, despite multiple theoretical proposals and several candidates, including memristive⁶ and superconducting oscillators, a proof of concept of neuromorphic computing using nanoscale oscillators has yet to be demonstrated. Here we show experimentally that a nanoscale spintronic oscillator (a magnetic tunnel junction) can be used to achieve spoken-digit recognition with an accuracy similar to that of state-of-the-art neural networks. We also determine the regime of magnetization dynamics that leads to the greatest performance. These results, combined with the ability of the spintronic oscillators to interact with each other, and their long lifetime and low energy consumption, open up a path to

fast, parallel, on-chip computation based on networks of oscillators.

© 2017 Phys.org

Citation: Nanoscale magnetic device mimics behavior of neurons and can recognize human audio signals (2017, July 27) retrieved 19 April 2024 from <https://phys.org/news/2017-07-nanoscale-magnetic-device-mimics-behavior.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.