

Scientists identify optimal areas for conservation and agriculture in the tropics

July 27 2017

A team of researchers from the National University of Singapore (NUS) has recently completed a global study on the trade-offs between the benefits provided by tropical forests and its conversion for agricultural use. The team examined deforestation activities of more than 50 countries in the tropics between 2000 to 2012, and identified regions where deforestation is most and least beneficial.

The NUS team, led by Assistant Professor Roman Carrasco from the Department of Biological Sciences at the NUS Faculty of Science, identified the Atlantic Forest, areas around the Gulf of Guinea, and Thailand as areas where benefits from agricultural conversion are higher than environmental <u>costs</u>. This suggests that it could be difficult to implement and incentivise biodiversity conservation strategies that are based on payments to farmers in these regions.

In contrast, Latin America, insular Southeast Asia, and Madagascar are considered economically viable conservation targets because <u>deforestation</u> in these regions derived low agricultural benefits and high environmental costs.

The research team hopes that the study could also contribute towards enhancing the efficiency and sustainability of land-use policies in these regions. Their findings were published in the scientific journal, *PLOS Biology*, on 21 July 2017.



Understanding trade-offs between forest and agriculture

The global demand for agricultural and forestry products have often resulted in <u>tropical forests</u> being destroyed to clear land for such purposes. However, much of this deforestation occurs with a lack of information on the spatial distribution of benefits and costs of deforestation – where does deforestation lead to greatest losses to the environment and greatest benefits from agricultural earnings. In addition, there is limited information on how the economic benefits and costs of deforestation vary on a global scale as existing studies have been largely constrained to the local and national level.

Explaining the significance of the study, Asst Prof Carrasco said, "Knowing which forested land, once converted to agriculture, presents the largest agricultural benefits and the lowest <u>environmental costs</u> is important as it allows us to be more efficient at meeting global agricultural demand without unnecessarily damaging tropical forests and biodiversity. A better understanding of the distribution of benefits and costs will also help in better selection of areas to focus conservation efforts."

The team conducted an analysis of deforestation and crop distribution data, and studied the trade-offs between agricultural benefits, carbon emissions, and losses of multiple ecosystem services. Ecosystem services are the benefits obtained by people from ecosystems such as forests, including carbon sequestration, flood protection and water purification.

The findings showed that while gains by agriculture are US\$32 to 53 billion per year, the environmental damage caused by <u>tropical</u> <u>deforestation</u> during this period amounts to future annual losses of US\$107 to 135 billion per year. Despite the study showing large



differences between the costs and benefits globally, the team found that as a whole, tropical deforestation generates large economic losses.

"Having created this global map of trade-offs between agriculture and the benefits provided by tropical forests, we will be looking into integrating these maps with market models to understand how changes in land use could lead to changes in prices and affect consumers, as well as other indirect impacts on deforestation," added Asst Prof Carrasco.

More information: Luis R. Carrasco et al. Global economic trade-offs between wild nature and tropical agriculture, *PLOS Biology* (2017). <u>DOI:</u> <u>10.1371/journal.pbio.2001657</u>

Provided by National University of Singapore

Citation: Scientists identify optimal areas for conservation and agriculture in the tropics (2017, July 27) retrieved 28 June 2024 from <u>https://phys.org/news/2017-07-scientists-optimal-areas-agriculture-tropics.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.