


Researchers set new bar for water-splitting, CO₂-splitting techniques

August 30 2017



Ball-and-stick model of carbon dioxide. Credit: Wikipedia

Researchers from North Carolina State University have significantly boosted the efficiency of two techniques, for splitting water to create hydrogen gas and splitting carbon dioxide (CO₂) to create carbon monoxide (CO). The products are valuable feedstock for clean energy and chemical manufacturing applications.

The water-splitting process successfully converts 90 percent of water into hydrogen gas, while the CO₂-splitting process converts more than 98 percent of the CO₂ into CO. In addition, the process also uses the resulting oxygen to convert methane into syngas, which is itself a feedstock used to make fuels and other products.

"These advances are made possible by materials that we specifically designed to have the desired thermodynamic properties for each process," says Fanxing Li, an associate professor of chemical and biomolecular engineering at NC State who is corresponding author of two papers on the work. "These properties had not been reported before unless you used rare earth materials."

For the CO₂-splitting process, researchers developed a nanocomposite of strontium ferrite dispersed in a chemically inert matrix of calcium oxide or manganese oxide. As CO₂ is run over a packed bed of particles composed of the nanocomposite, the nanocomposite material splits the CO₂ and captures one of the oxygen atoms. This reduces the CO₂, leaving only CO behind.

"Previous CO₂ conversion techniques have not been very efficient, converting well below 90 percent of the CO₂ into CO," Li says. "We reached conversion rates as high as 99 percent."

"And CO is valuable because it can be used to make a variety of chemical products, including everything from polymers to acetic acid," Li says.

Meanwhile, the oxygen captured during the CO₂-splitting process is combined with methane and converted into syngas using solar energy.

For the water-splitting process, researchers created iron-doped barium manganese oxide particles. Other than the difference in materials, the

process is remarkably similar. As water - in the form of steam - is run over a bed of the particles, the iron-doped barium manganese oxide splits the water molecules and captures the [oxygen atoms](#). This leaves behind pure [hydrogen gas](#).

"Our conversion here is 90 percent, which compares very favorably to other techniques - which are often in the 10-20 percent range," says Vasudev Haribal, a Ph.D. student at NC State and lead author of the paper on the water-splitting work.

The oxygen captured during the water-splitting process is used to make syngas, using the same technique used in the CO₂-splitting process.

"We think both of these materials and processes represent significant steps forward," Li says. "They use relatively inexpensive materials to efficiently extract valuable feedstock from resources that are either readily available (in the case of water) or are actually greenhouse gases (in the cases of CO₂ and methane).

"We are now working on developing materials that are even more efficient," Li says. "And we're open to working with outside groups who are interested in scaling these processes up for manufacturing."

The CO₂-splitting paper, "Perovskite Nanocomposites as Effective CO₂-Splitting Agents in a Cyclic Redox Scheme," is published in the journal *Science Advances*. Lead author of the paper is Junshe Zhang, a former postdoctoral researcher at NC State who is now at Xi'an Jiaotong University. The paper was co-authored by Haribal. The work was done with support from the National Science Foundation, under grants CBET-1254351 and CBET-1510900, and the Kenan Institute at NC State.

The water-splitting paper, "Iron-Doped BaMnO₃ for Hybrid Water

Splitting and Syngas Generation," is published in the journal *ChemSusChem*. The paper was co-first authored by Feng He, a former Ph.D. student at NC State, and Amit Mishra, a Ph.D. student at NC State. The work was done with support from NSF, under grant CBET-1254351, and the Kenan Institute at NC State.

More information: "Perovskite nanocomposites as effective CO₂-splitting agents in a cyclic redox scheme," *Science Advances* (2017). advances.sciencemag.org/content/3/8/e1701184

Provided by North Carolina State University

Citation: Researchers set new bar for water-splitting, CO₂-splitting techniques (2017, August 30) retrieved 26 April 2024 from <https://phys.org/news/2017-08-bar-water-splitting-co2-splitting-techniques.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.