


A new estimate of biodiversity on Earth

August 30 2017



The pie on the left shows a traditional estimate of the relative richness of different groups of organisms based on numbers of described species (Wilson 1992), the middle shows an estimate based on projected richness of different groups (Mora et al. 2011), and the pie on the right shows estimates based on the projected richness of different groups in the present study. Credit: Brendan B. Larsen, Elizabeth C. Miller, Matthew K. Rhodes, and John J. Wiens

Anyone who has studied biology, watched a nature documentary, or, for that matter, simply enjoyed time in the outdoors, has likely been amazed by the variety of plant and animal life on our planet.

To date, about 1.5 million [species](#) have been formally described in the scientific literature, most of them insects. Proportionally, bacteria comprise less than 1% of all described species.

Scientists generally agree that many more species exist than are formally described, but they disagree about how many there really are. Some studies have estimated 2 million or fewer, whereas others suggest as many as 12 million (one recent study even suggested the planet could be home to a trillion species).

In a new paper published in *The Quarterly Review of Biology* (September 2017), researchers from the University of Arizona have estimated that there are roughly 2 billion living species on Earth, over a thousand times more than the current number of described species.

In coming up with their estimate, the researchers took advantage of the fact that many estimates now agree on the projected number of insect species, around 6.8 million. They incorporated new estimates of species boundaries revealed by DNA sequences, which suggest there might be six times as many insect species, increasing the total to 40 million for insect species alone.

They then reviewed all groups of organisms associated with insects as parasites or symbionts. They found that each insect species most likely hosts a unique species of mite, roundworm (nematode), a one-celled fungus called a microsporidian, and a one-celled organism called an apicomplexan protist (which cause malaria in humans).

Most importantly, the researchers estimated that each [insect species](#) is likely to host at least 10 bacterial species found nowhere else. Based on these estimates, they deduce that there should be around 2 billion species on Earth.

The authors also suggest that the diagram of which taxonomic groups contain the most species, or the "Pie of Life," is very different from traditional estimates. Rather than being dominated by insects, as traditionally shown, their estimates show a pie dominated by bacteria (70

to 90% of all species), with insects (and animals in general) having a much smaller slice.

More information: Brendan B. Larsen et al, Inordinate Fondness Multiplied and Redistributed: the Number of Species on Earth and the New Pie of Life, *The Quarterly Review of Biology* (2017). [DOI: 10.1086/693564](https://doi.org/10.1086/693564)

Provided by University of Chicago

Citation: A new estimate of biodiversity on Earth (2017, August 30) retrieved 26 April 2024 from <https://phys.org/news/2017-08-biodiversity-earth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.