

New biological identity of inhaled nanoparticles revealed

August 23 2017, by Yi Zuo



Molecular dynamics simulations revealed a pulmonary surfactant corona coated on inhaled nanoparticle. Credit: University of Hawaii at Manoa

Nano-enabled consumer products surround people every day, from personal care, cosmetics, clothing and electronics, to food and beverage.

The Nanotechnology Consumer Products Inventory maintained by the Woodrow Wilson International Center for Scholars has listed 1,814 nanoenabled consumer products, many of which have a potential safety hazard if inhaled. However, their potential biological risks are still largely unknown.



University of Hawai'i at Mānoa College of Engineering Professor Yi Zuo has developed a new method to reveal the <u>molecular mechanism</u> of nano-bio interactions in the lungs. This research was published in the July 2017 issue of the scientific journal *ACS Nano*, "Unveiling the molecular structure of pulmonary surfactant corona on nanoparticles."

Zuo's study showed that once the inhaled nanoparticles enter the lungs, they are quickly wrapped with a biomolecular corona made of the natural pulmonary surfactant. The entire surface of the lungs is lined with a lipid-protein pulmonary surfactant film, which serves an important physiological function of host defense and surface tension reduction. The pulmonary surfactant corona provides the inhaled nanoparticles with a new identity in their subsequent interactions with the biological system, such as their clearance and cellular toxicity.

"Molecular scale interactions between nanoparticles and biomolecules are too small and too fast to be visualized by most conventional experimental methods," Zuo said. "Hence, we studied the nano-bio interactions with a virtual experiment called molecular dynamics simulations. Using supercomputers, we created a virtual box in which a certain number of molecules and particles can move and interact with each other for a certain time by following the natural laws of physics and chemistry. The final equilibrium state of the simulation reveals the molecular mechanism of nano-bio interactions."

This study may also advance the understanding of other air pollutants, such as vog, an air pollutant that is unique to Hawai'i due to its volcanic eruptions. Given the environmental, health and safety impact of vog, there is an urgent need to understand its pulmonary risk, especially to those with existing respiratory conditions and children, whose respiratory system is significantly more vulnerable to particle invasion than adults.



Zuo is continuing to study the molecular mechanism of nano-bio interactions using <u>molecular dynamics simulations</u> and novel experimental techniques developed in his Laboratory of Biocolloids and Biointerfaces, helping to provide a useful metric for regulating and overseeing commercial applications of nanotechnology toward a safer and more sustainable development.

More information: Qinglin Hu et al. Unveiling the Molecular Structure of Pulmonary Surfactant Corona on Nanoparticles, *ACS Nano* (2017). DOI: 10.1021/acsnano.7b01873

Provided by University of Hawaii at Manoa

Citation: New biological identity of inhaled nanoparticles revealed (2017, August 23) retrieved 6 May 2024 from <u>https://phys.org/news/2017-08-biological-identity-inhaled-nanoparticles-</u> revealed.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.