


Researchers identify cheaper, greener biofuels processing catalyst

August 25 2017, by Lois Yoksoulian







A photomicrograph of the palladium and bacteria catalyst. Credit: Lynne Macaskie

Fuels that are produced from nonpetroleum-based biological sources may become greener and more affordable, thanks to research performed at the University of Illinois' Prairie Research Institute that examines the use of a processing catalyst made from palladium metal and bacteria.

Biofuels are made from renewable materials such as plants or algae, and offer an alternative to petroleum-based sources. However, many biofuels are costly to produce because the precursor product, bio-oil, must be processed before it is sent to the refinery to be turned into liquid fuel. Illinois Sustainability Technology Center researcher B.K. Sharma and his co-authors have identified and tested a new processing method.

"Bio-oil forms from the same chemical reaction that forms petroleum," Sharma said. "But what takes millions of years naturally in the ground takes only minutes in the lab using a process that is very similar to pressure cooking."

Published in the journal *Fuel*, their findings point to a cheaper, more environmentally friendly and renewable catalyst for processing that uses common bacteria and the metal <u>palladium</u>, which can be recovered from waste sources such as discarded electronics, catalytic converters, street sweeper dust and processed sewage.

The bio-oil produced in the lab from algae contains impurities like nitrogen and oxygen, but treating it with palladium as a catalyst during processing helps remove those impurities to meet clean-air requirements, Sharma said.



For the palladium to do its job, the bio-oil needs to flow past it during processing. Previous studies have shown that allowing the oil flow through porous <u>carbon particles</u> infused with palladium is an effective method, but those carbon particles are not cheap, Sharma said.

"Instead of using commercially produced carbon particles, we can use bacteria cell masses as a sort of biologic scaffolding for the palladium to hold on to," Sharma said. "The oil can flow through the palladiumdecorated bacteria masses as it does through the carbon particles."

To test the effectiveness of the new method, Sharma and his co-authors performed a variety of chemical and physical analyses to determine if their new processing treatment produced a liquid fuel that is comparable in quality to one made using the commercially produced catalyst.

"We found our product to be as good or even slightly better," Sharma said. "We were able to remove the oxygen and nitrogen impurities at a comparable rate, and yielded the same volume of product using our cheaper, greener catalyst as is observed using the more expensive commercial catalyst."





Prairie Research Institute researcher B.K. Sharma and co-authors from the University of Birmingham have collaborated to develop a greener biofuels processing catalyst using waste metals and bacteria. Credit: L. Brian Stauffer

The more costly commercial catalyst has the added benefit that it can be used over and over without extensive processing, whereas the Sharma group's palladium-on-bacteria catalyst will need to undergo processing to be reused.

"It is a minor caveat," Sharma said. "The fact that we have shown the potential of making refinery-ready crude oil from algae bio-oil using a catalyst that can be prepared from low-grade recycled metals and green and economical bacterial biomass proves that this is a very promising advancement. In addition, this bio-<u>catalyst</u> would work equally well in



petrochemical processing."

More information: Bidhya Kunwar et al, Nanoparticles of Pd supported on bacterial biomass for hydroprocessing crude bio-oil, *Fuel* (2017). DOI: 10.1016/j.fuel.2017.08.007

Provided by University of Illinois at Urbana-Champaign

Citation: Researchers identify cheaper, greener biofuels processing catalyst (2017, August 25) retrieved 3 May 2024 from https://phys.org/news/2017-08-cheaper-greener-biofuels-catalyst.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.