

Financial incentives could conserve tropical forest diversity

August 2 2017



Researchers from the University of Missouri and Universidad Amazónica collecting forest biological measurements in Ecuador's Amazon Basin. Credit: Philip Mohebalian

The past few decades have seen the rise of global incentive programs offering payments to landowners to help reduce tropical deforestation. Until now, assessments of these programs have largely overlooked decreases in forest diversity. In what might be a first of its kind study, University of Missouri researchers have integrated forest imaging with field-level inventories and landowner surveys to assess the impact of conservation payments in Ecuador's Amazon Basin forests. They found that conservation payment programs are making a difference in the diversity of tree species in protected spaces. Further, the species being protected are twice as likely to be of commercial timber value and at risk of extinction.

"It has been widely proven that degradation of [tropical forests](#) have major implications for carbon cycles and biodiversity; yet, destruction of these forests still occur at alarming rates," said Francisco Aguilar, associate professor of forestry in the MU School of Natural Resources. "More than 7 billion acres of tropical rain forests were destroyed between 1995 and 2015, so policy makers established voluntary compensation programs to slow down [tropical deforestation](#) and degradation. While these programs seem to be making a difference, there aren't enough on-the-ground evaluation tools to see if biodiversity is being maintained, too. Therefore, we looked for other ways to observe the value of these payments for [forest](#) conservation."

Philip Mohebalian, a former doctoral student in Aguilar's group who now works for the World Wildlife Fund, built a methodology to assess degradation in Ecuador. Using remote images, Mohebalian combined inventories of Amazon rain forests with face-to-face surveys with landowners receiving payments for their conservation efforts through Ecuador's Socio Bosque Program (PSB).



Member of the data collection team explaining the study's household survey questions to the eldest son of a forest owner at their home, in the Amazon Basin. Their home was surrounded by miles of undeveloped primary forest, located several hours hiking through a forest trail outside of a small town near the Napo River. Credit: Philip Mohebalian.

Findings revealed that PSB prevented 9 percent of enrolled forest area from being deforested between 2008 and 2014, which is higher than previous assessments conducted through mostly imaging alone. An inventory of the species represented in the study revealed one to two more species per 100 acres than non-enrolled forests.

"To our knowledge, this study is the first of its kind to estimate differences in forest degradation associated with a forest conservation [payment](#) program," Mohebalian said. "Field-level data, while more expensive and time consuming, could add value to remotely sensed evaluations. We found that upon closer observation that several of the species being preserved are under great commercial pressure for timber putting them at greater risk of extinction—observations that might be lost in high-level imaging such as those derived from satellites."

These assessments offer evidence that on-the-ground studies bringing together biophysical forest observations with socioeconomic factors offer a deeper understanding of the value of tropical [forest conservation](#) programs, Aguilar said.

The study, "Beneath the Canopy: Tropical forests enrolled in [conservation](#) payments reveal evidence of less degradation," recently was published in the current issue of *Ecological Economics*. Funding was provided by the University of Missouri Research Board and Research Council; the Doris D. and Christine M. Brown Fellowship; the USDA National Needs Fellowship; and a USDA International Science and Education Grant. Bolier Torres at the Universidad Estatal Amazonica; Lucas Lobe at the Universidad Nacional de Misiones (Argentina); and Leonardo Zurita-Arthos and Maria Borja at Universidad San Francisco de Quito contributed to the study. The content is solely the responsibility of the authors and does not necessarily represent the official views of the funding agencies.

Provided by University of Missouri-Columbia

Citation: Financial incentives could conserve tropical forest diversity (2017, August 2) retrieved 19 April 2024 from <https://phys.org/news/2017-08-financial-incentives-tropical-forest-diversity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.