

Measuring global biodiversity change

August 17 2017

A new paper co-authored by a group of international scientists, among them UvA researcher W. Daniel Kissling, shows how Essential Biodiversity Variables can be produced to measure biodiversity change at a global scale. The publication is an outcome of the first two workshops organized by the EU-funded Horizon 2020 project GLOBIS-B: GLOBal Infrastructures for Supporting Biodiversity research. The main aim of the project is to bring together scientists with global research infrastructure operators and legal interoperability experts to address the research needs and infrastructure services required to calculate Essential Biodiversity Variables (EBVs).

Like climate variables, EBVs are constructed from various sources of data and are the underlying variables to assess changes in biodiversity through time. They can be used to measure the achievement of targets like the Aichi targets set by the Convention for Biological Diversity (CBD) or the Sustainable Development Goals (SDGs) identified by the UN 2030 Agenda for Sustainable Development, to protect the world from further loss of biodiversity, support sustainable use of natural resources and enhance benefits from these. As such, EBVs play an important role in policy decisions and are critical to the future work of the Inter-governmental Panel on Biodiversity and Ecosystem Services (IPBES).

The GLOBIS-B project organized two international workshops with >50 experts from Australia, Brazil, China, Europe, South Africa and the USA to discuss the challenges of building global EBV data products on <u>species distribution</u> and abundance. Measurements of changes in species



distribution and abundance underpin policy indicators to quantify population trends and extinction risk for threat categorization, assessments of geographic range dynamics, spread of invasive species, and biodiversity responses to climate change and habitat conversion. The discussions during the two workshops showed that the harmonization of data collection and technical data management as well as legal complications and constraints are key bottlenecks for building global EBV data products on species distribution and abundance.

'Putting this paper together was a major effort that kept me busy over the last two years', says W. Daniel Kissling, lead author of the study and scientific coordinator of GLOBIS-B. The paper covers a broad range of scientific, technical and legal aspects, including basic definitions of the EBV framework, data and tools for building EBV data products, technical and legal requirements of workflows, and metadata and datasharing standards. The paper represents a community-effort by 36 coauthors, many of them working actively with the Group on Earth Observations Biodiversity Observation Network (GEO BON), an organisation that develops and promotes the EBV concept. 'This paper is a fundamental step forward in operationalizing the EBV concept because it shows how we can implement a workflow-oriented production of EBVs', says Henrique Pereira, GEO BON co-chair and co-author of the study. This will be critical for <u>biodiversity</u> research and for assessing progress towards conservation policy targets and sustainable development goals.

More information: W. Daniel Kissling et al. Building essential biodiversity variables (EBVs) of species distribution and abundance at a global scale, *Biological Reviews* (2017). <u>DOI: 10.1111/brv.12359</u>

Provided by University of Amsterdam



Citation: Measuring global biodiversity change (2017, August 17) retrieved 2 May 2024 from <u>https://phys.org/news/2017-08-global-biodiversity.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.