


From greenhouse gas to 3-D surface-microporous graphene

August 3 2017, by Allison Mills



The folds of 3-D graphene make mesopore channels that work with the surface's micropores to increase the material's supercapacitive properties. Credit: Michigan Technological University

Tiny dents in the surface of graphene greatly enhances its potential as a supercapacitor. Even better, it can be made from carbon dioxide.

A material scientist at Michigan Technological University invented a novel approach to take [carbon](#) dioxide and turn it into 3-D graphene with micropores across its surface. The process is the focus of a new study published in the American Chemical Society's *Applied Materials & Interfaces*.

The conversion of carbon dioxide to useful materials usually requires high energy input due to its ultrahigh stability. However, [materials](#) science professor Yun Hang Hu and his research team created a heat-releasing reaction between carbon dioxide and sodium to synthesize 3-D surface-microporous graphene.

"3-D surface-microporous graphene is a brand-new material," Hu says, explaining the material's surface is pockmarked with micropores and folds into larger mesopores, which both increase the surface area available for adsorption of electrolyte ions. "It would be an excellent electrode material for energy storage devices."

Holey Supercapacitors

The supercapacitive properties of the unique structure of 3-D surface-microporous graphene make it suitable for elevators, buses, cranes and any application that requires a rapid charge/discharge cycle.

Supercapacitors are an important type of energy storage device and have been widely used for regenerative braking systems in hybrid vehicles.

Basically, a [supercapacitor](#) material needs to store—and release—a charge. The limiting factor is how quickly ions can move through the material.

Current commercialized supercapacitors employ activated carbon using swaths of micropores to provide efficient charge accumulation.

However, electrolyte ions have difficulty diffusing into or through its

deep micropores, increasing the charging time.

"The new 3-D surface-microporous graphene solves this," Hu says. "The interconnected mesopores are channels that can act as an electrolyte reservoir and the surface-micropores adsorb electrolyte ions without needing to pull the ions deep inside the micropore."

The mesopore is like a harbor and the electrolyte ions are ships that can dock in the micropores. The ions don't have to travel a great distance between sailing and docking, which greatly improves charge/discharge cycles they can steer through. As a result, the material exhibited an ultrahigh areal capacitance of 1.28 F/cm², which is considered an excellent rate capability as well as superb cycling stability for supercapacitors.

From Thin Air

To synthesize the material from carbon dioxide, Hu's team added carbon dioxide to sodium, followed by increasing temperature to 520 degrees Celsius. The reaction can release heat instead of require energy input.

During the process, [carbon dioxide](#) not only forms 3-D graphene sheets, but also digs the micropores. The little dents are only 0.54 nanometers deep in the surface layers of [graphene](#).

Hu's work is funded by the National Science Foundation (NSF) and detailed in the *ACS Applied Materials & Interfaces* article "An Ideal Electrode Material, 3D Surface-Microporous Graphene for Supercapacitors with Ultrahigh Areal Capacitance."

More information: Liang Chang et al. An Ideal Electrode Material, 3D Surface-Microporous Graphene for Supercapacitors with Ultrahigh Areal Capacitance, *ACS Applied Materials & Interfaces* (2017). [DOI](#):

[10.1021/acsami.7b07381](https://doi.org/10.1021/acsami.7b07381)

Provided by Michigan Technological University

Citation: From greenhouse gas to 3-D surface-microporous graphene (2017, August 3) retrieved 2 May 2024 from

<https://phys.org/news/2017-08-greenhouse-gas-d-surface-microporous-graphene.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.