

Using microwaves to break up rock saves energy

August 21 2017

In a project funded by the Austrian Science Fund FWF, a research group from Leoben investigated how excavation methods for hard rock could be improved by using microwave irradiation so as to make classical mechanical excavation easier and save energy.

The excavation of hard <u>rock</u> such as granite is a process that consumes a great deal of time and <u>energy</u>, whether it be in mining or in tunneling. Several steps are necessary. First of all, cracks are created in compact rock to make it fragment into individual pieces that can then be excavated and removed. In the history of mining, this first step was often carried out with the help of fire – because heat cracks the rock. An interdisciplinary project of the Chairs for Mechanics, Physics and Mining Engineering at the 'Montanuniversität Leoben' (Leoben University of Mining Sciences) investigated a modern version of that strategy, using microwaves to heat the rock.

"All conventional excavation methods have one thing in common: you first want to break the rock, i.e. create more surfaces, but only a small part of the energy really goes into that fragmentation. The lion's share is lost in the form of heat," says principal investigator Thomas Antretter from the Institute of Mechanics at the Montanuniversität. Currently, the rock is either blasted or fragmented mechanically with heavy machinery and then excavated. "This is a giant waste of energy. We do not want to replace mechanical excavation completely, that would be impossible. But we can make it easier," says Antretter.



25 times stronger than a microwave oven

The fact that microwaves can be used to warm up food is well known. It is less obvious, however, that microwaves can also be used to heat up rock. "You could actually put a piece of rock in a <u>microwave oven</u> and it would become warm," explains Antretter. "In order to create real cracks, however, you need a great deal more energy." For the practice tests, they used a microwave unit with an output of 25 kW, which is about 25 times the energy produced by a microwave oven. Applied by means of a device that looks like a hose, the microwaves are channeled through this hollow conductor.

Antretter's group was responsible for the computer simulations. "The simulations were quite comprehensive, because first we had to compute the electromagnetic processes, the irradiation and propagation of electromagnetic waves, and then we had to conclude from these computations how the granite would heat up."

Antretter was particularly interested in granite because of the difficulties it entails in excavation due to its hardness. Granite consists of feldspar, quartz and mica. "These minerals have different properties and heat up to different degrees. Apart from that, they also differ in their electrical properties, meaning that they absorb microwaves differently." This also had to be computed prior to the experiments.

"The results for power dissipation were then used to compute the mechanical aspects," explains Antretter. "In order to do that, we needed to calculate how the temperature is going to develop in the rock over time. Based on that, we can compute the mechanical strains and stresses, again as a function of time." The results were compared with the critical stress levels for the individual components of the rock in order to find out when the rock would break and produce the desired cracks.



Short pulses more effective

Thomas Antretter's team simulated short, intense pulses lasting only onetenth of a second and compared them with longer pulses of lower intensity that lasted 100 seconds. The energy output was the same in both cases. "In the simulations, the short pulses showed a little more effect with the same amount of energy," reports Antretter. In parallel, tests were made at the neighbouring Chair of Mining Engineering, where the researchers have access to a microwave unit. "There, they actually irradiated rock samples under different conditions and for different lengths of time. It turned out that you can create crack patterns and that they will correlate well with the results of our simulation."

The idea of using microwaves to break up rock has been around for some time, recalls principal investigator Antretter. "But one could never quantify the effect precisely, the tests were done on a trial and error basis. And so they forgot about it again."

There are a number of open questions concerning implementation in practice, such as fire safety issues. "But from a purely technical point of view, there is nothing that prevents implementation," says Antretter.

More information: Michael Toifl et al. Numerical study of the influence of irradiation parameters on the microwave-induced stresses in granite, *Minerals Engineering* (2016). DOI: 10.1016/j.mineng.2016.09.011

R. Meisels et al. Microwave propagation and absorption and its thermomechanical consequences in heterogeneous rocks, *International Journal of Mineral Processing* (2015). DOI: 10.1016/j.minpro.2015.01.003

Michael Toifl et al. 3D numerical study on microwave induced stresses in inhomogeneous hard rocks, *Minerals Engineering* (2016). <u>DOI:</u>



10.1016/j.mineng.2016.01.001

P. Hartlieb et al. Thermo-physical properties of selected hard rocks and their relation to microwave-assisted comminution, *Minerals Engineering* (2015). DOI: 10.1016/j.mineng.2015.11.008

Provided by Austrian Science Fund (FWF)

Citation: Using microwaves to break up rock saves energy (2017, August 21) retrieved 2 May 2024 from <u>https://phys.org/news/2017-08-microwaves-energy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.