

Global warming reduces protein in key crops: study

August 2 2017, by Kerry Sheridan



Indian farmers plant paddy seedlings in a rice field on the outskirts of Amritsar

Rising carbon dioxide levels from global warming will drastically reduce the amount of protein in staple crops like rice and wheat, leaving vulnerable populations at risk of growth stunting and early death, experts warned on Wednesday.

Researchers say they still don't understand how or why carbon dioxide

emissions sap protein and other nutrients from plants, but the mystery is one that could have devastating consequences across the globe.

An additional 150 million people globally may be at risk of protein deficiency by 2050 because of rising levels of carbon dioxide in the atmosphere said the report in the journal *Environmental Research Letters*.

The study, led by Harvard University researchers, is the first to quantify the impacts of global warming on the protein levels of crops.

It relies on data from open field experiments in which plants were exposed to high concentrations of CO₂.

Global dietary information from the United Nations was used to calculate the impact on people who live dangerously close to the edge when it comes to getting enough protein. Without it, growth is stunted, diseases are more common and early mortality is far more likely.

Carbon dioxide is a byproduct of fossil-fuel burning that helps trap heat around the Earth. Without stark action, these emissions are expected to climb in the decades to come, resulting in rising seas, hotter temperatures and more extreme weather events.

A leading hypothesis was that CO₂ might increase the amount of starch in plants, thereby decreasing protein and other nutrients.

But lead author Samuel Myers, a senior research scientist in Harvard University's T. H. Chan School of Public Health, said that experiments did not back up the theory.

"The short answer is we really have no idea," he told AFP.



A leading hypothesis is that carbon dioxide might increase the amount of starch in plants (including wheat), thereby decreasing protein and other nutrients

"We've looked into it pretty extensively."

Protein was not the only nutrient to take a major hit.

Other research has shown that rising CO₂ will cut key minerals like iron and zinc in staple crops, leading to further nutritional deficiencies worldwide.

Africa, Asia hardest hit

Researchers calculated that by 2050, higher CO₂ concentrations will sap

the protein contents of barley by 14.6 percent, rice by 7.6 percent, wheat by 7.8 percent, and potatoes by 6.4 percent.

"If CO₂ levels continue to rise as projected, the populations of 18 countries may lose more than 5 percent of their dietary protein by 2050 due to a decline in the nutritional value of rice, wheat, and other staple crops," said the report.

A full 76 percent of the people on Earth rely on plants for most of their daily protein, particularly in poor areas of the globe.

The hardest hit areas are expected to be Sub-Saharan Africa, where millions already don't get enough protein in their diets, and South Asia where rice and wheat are common staples.

India alone may lose 5.3 percent of protein from a standard diet, putting a predicted 53 million people at new risk of protein deficiency.

Researchers said solutions may include cutting carbon emissions, supporting more diverse diets, enriching the nutritional content of staple crops, and breeding crops that are less sensitive to the harmful effects of CO₂.

More information: "Estimated Effects of Future Atmospheric CO₂ Concentrations on Protein Intake and the Risk of Protein Deficiency by Country and Region," Danielle E. Medek, Joel Schwartz, and Samuel S. Myers, *Environmental Health Perspectives*, online August 2, 2017, [DOI: 10.1289/EHP41](https://doi.org/10.1289/EHP41)

"Potential rise in iron deficiency due to future anthropogenic carbon dioxide emissions," M. R. Smith, C. D. Golden, and S. S. Myers, *GeoHealth*, Early View article, August 2, 2017, [DOI: 10.1002/2016GH000018](https://doi.org/10.1002/2016GH000018)

© 2017 AFP

Citation: Global warming reduces protein in key crops: study (2017, August 2) retrieved 28 April 2024 from <https://phys.org/news/2017-08-millions-protein-deficiency-result-human-caused.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.