



Solutal Marangoni flows of miscible liquid drive transport without surface contamination


August 18 2017



- A drop of alcohol on a water surface



- Comparison of mixing structures on the surface



- Marangoni mixing flow under the free surface

Marangoni-driven convection flow generated at the interface between water and alcohol, and the flow visualization results. Credit: KAIST

A research team led by Hyoungsoo Kim, a professor of Mechanical Engineering at KAIST, succeeded in quantifying the phenomenon called, the Marangoni effect, which occurs at the interface between alcohol and water. It is expected that this finding will be a valuable resource used for effectively removing impurities from a surface fluid without any contamination, and developing materials that can replace surfactants.

This research, co-conducted with a research team led by Professor Howard A. Stone at Princeton University, was published online in *Nature Physics* on July 31.

The Marangoni effect, also known as tears of wine, is generated when two fluids having a different surface tension meet, causing finite mixing, spreading time and length scale. Typically, people believe that infinitely miscible liquids immediately mix together; however, it is not always true according to this paper.

The typical surface tension of alcohol is three times lower than that of water, and this different surface tension generates the Marangoni-driven convection flow at the interface of the two liquids. In addition, there is a certain amount of time required for them to mix.

This phenomenon has been discussed many times since it was discovered in early the 20th century, yet there was a limit to quantifying and explaining it.

Professor Kim, considering the mixing and spreading mechanism, used various flow visualization techniques and equipment for capturing high speed images in his experiment.

Through the flow visualization methods, the team succeeded in quantifying and explaining the complex, physicochemical phenomenon generated between water and alcohol. Moreover, they developed a theoretical model to predict the physicochemical hydrodynamic phenomena.

The theoretical model can predict the speed of Marangoni-driven convection flow, the area of a drop of alcohol and the time required to develop the flow field. Hence, this model can map out types of materials (e.g., alcohol) and the volume of a drop of liquid as applicable to target a specific situation.

Moreover, the research team believes that the interfacial [flow](#) enables the driving of bulk flows and that it can be a source of technology for effectively delivering drugs and removing impurities from a surface of substance without causing secondary contamination.

Above all, the results show a possibility for replacing surfactant with alcohol as a material used for delivering drugs. In the case of the [drug delivery](#), some drugs are encapsulated with a surfactant in order to be effectively transported in vivo; however, the surfactant accumulates in the body, which can cause various side effects, such as heart disease. Therefore, using new materials like alcohol for drug delivery will contribute to preventing the side effects caused by the surfactant.

"The [surfactant](#) is used for delivering drugs, but it is difficult to be expelled from the body. This will cause various side effects, such as heart diseases in asthmatic patients," said Professor Kim. "I hope that using new materials, like [alcohol](#), will free people from these side

effects."

More information: Hyoungsoo Kim et al, Solutal Marangoni flows of miscible liquids drive transport without surface contamination, *Nature Physics* (2017). [DOI: 10.1038/NPHYS4214](https://doi.org/10.1038/NPHYS4214)

Provided by The Korea Advanced Institute of Science and Technology (KAIST)

Citation: Solutal Marangoni flows of miscible liquid drive transport without surface contamination (2017, August 18) retrieved 5 April 2024 from <https://phys.org/news/2017-08-solutal-marangoni-miscible-liquid-surface.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--