

Clues to ancient past—baby mummy, dinosaur skulls scanned

September 22 2017, by Tamara Bhandari



A baby mummy (above) and pieces of skull from two Triceratops underwent computed tomography (CT) scans at Washington University School of Medicine in St. Louis on Sept. 16. The mummy and the skulls belong to the Saint Louis Science Center. See more scans and photos below. Credit: Washington University School of Medicine

The mummified remains of a 7-month-old baby boy and pieces of skull from two teenage Triceratops underwent computed tomography (CT) scans Saturday, Sept. 16, at Washington University School of Medicine in St. Louis, in hopes researchers could learn more about the ancient past. The project is a collaboration between the Saint Louis Science Center and the School of Medicine.

By scanning the child mummy, researchers hope to gain insight into the diet, lifestyle, habits and physiology of people living in Egypt around 2,000 years ago, when the baby was mummified. They also are looking for clues to how the baby died.

The braincases of two juvenile Triceratops were scanned to better understand how the creatures' brains developed over their lifetimes. Dinosaur [brain](#) development is one part of a larger story of how the brain developed and evolved over the ages.

Radiologists from the university's Mallinckrodt Institute of Radiology—Sanjeev Bhalla, MD, Vincent M. Mellnick, MD, and Michelle Miller-Thomas, MD—teamed up three years ago to scan three mummies from Washington University's Kemper Art Museum and the Saint Louis Art Museum. Their findings will be included in an upcoming permanent exhibit at the museum that focuses on the art of ancient Egypt.

This time, they hope to apply their knowledge to the study of a rare baby mummy. Geetika Khanna, MD, chief of pediatric radiology, will help interpret the scans, which were taken at the Center for Advanced Medicine on the Medical Campus.



The mummified remains of a 7-month-old baby enter a CT scanner at Washington University School of Medicine. Credit: Dilip Vishwanat

"Drs. Bhalla, Khanna and I will be predominantly studying the scans of the body cavity to see if there are any recognizable tissues or any signs of disease," Mellnick said. "But we may not be able to say how the baby died, unless it is something obvious like broken bones. Many of the internal organs are gone, which is what you need for diagnosis."

The child mummy has been part of the Science Center's collections since 1985, when it was donated by the relatives of a man who acquired it on a trip to Egypt in the late 19th or early 20th century. Decades ago, someone cut away the wrappings around the shoulders, leaving the mummified baby's head exposed.

A previous scan performed at the School of Medicine about 10 years ago showed four amulets, or fragments of amulets, nestled deep within the wrappings, but with the technology at that time, it was impossible to see whether they bore any patterns or symbols.

The new scan of the child mummy took only a minute, and researchers from the Science Center and the School of Medicine crowded around computer monitors to see the initial results. To everyone's surprise, a fifth amulet – possibly a heart scarab amulet – was visible inside the chest cavity near where the heart once was. It was too early to say whether it had been placed inside the baby's chest deliberately or had fallen into the body over the centuries. The team expects to learn more about the amulets and the skeleton as they study the images.

The mummy scan over, a small piece of Triceratops skull was delivered to the CT scanner next. The skull of an adult Triceratops can be up to 8 feet long, but the animal's brain is only inches in length. The brain doesn't fossilize, but the braincase contains a small cavern in the bone—the brain cavity—near where the skull meets the spine. Mapping indentations and ridges on the cavity's inner walls can give clues to the structure of the brain.



Researchers from Washington University School of Medicine and the Saint Louis Science Center observe the scan of a partial Triceratops skull. Credit: Dilip Vishwanat

Within a few minutes, the braincases of Bruce, a young Triceratops found by Science Center researchers in 2010, and Lost Creek Trike, found in 2016, were scanned. Both are from the Hell Creek Formation near Jordan, Montana, and date to 66 million to 67 million years ago.

Ashley Morhardt an assistant professor of neuroscience who studies dinosaur brain development and evolution, could barely contain herself. The scans look like high-resolution 3-D photographs, every detail visible.

"Oh my gosh, let me at it!" Morhardt cried. "Look at that! That's beautiful!"

From the scans, Morhardt will be able to produce a 3-D endocast of the inside of the brain cavity in the skull. While the soft tissues rotted away long ago, channels in the bone remain where blood vessels and nerves once passed, and the shape of the brain cavity reflects the structure of the brain it once housed.

"I can use the endocast as a road map for reconstructing the size and shape of the brain based on what we know about modern-day [dinosaurs](#) – aka birds – and their relatives, alligators and crocodiles," Morhardt said. "From there, we can compare brain models across different life stages and species of dinosaurs to see through time how brain and brain regions evolved and what that might have implied for behavior."

Provided by Washington University School of Medicine in St. Louis

Citation: Clues to ancient past—baby mummy, dinosaur skulls scanned (2017, September 22) retrieved 23 April 2024 from <https://phys.org/news/2017-09-clues-ancient-pastbaby-mummy-dinosaur.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.