


Neutrons provide a novel picture of thermal conductivity in complex materials

September 11 2017



Credit: Institut Laue-Langevin

The engineering of thermal conductivity in semiconducting materials is a central issue in the development of modern nano- and microtechnologies. Low thermal conductivity is important in materials used in technology products, as it provides thermal insulation and thus reduction of heat transfer, ensuring the products do not overheat.

Some representative of the clathrates family, complex chemical substances containing cages that trap atoms, are particularly important to study in this context as they have a range of important applications. Their thermoelectric properties make them very effective for harvesting wasted heat and converting it into electricity. To date, little is known about the exact mechanism underpinning the low thermal conductivity observed in complex structures such as clathrates.

Thermal energy is mainly carried by atomic vibrations called phonons, which are quasiparticles travelling with the sound velocity. Heat propagation and conductivity is directly related to the time a phonon travels in a material before it collides with defects or other phonons. This characteristic time is called the phonon lifetime. As such, understanding individual phonon properties is also fundamental for applications such as [waste heat recovery](#) through thermoelectric conversion. Shortening phonon lifetimes achieves low thermal conductivity, and this is a strategy which has led to extensive research around the 'phonon engineering' of thermoelectric [materials](#).

Phonon lifetime is one of the key parameters for quantifying thermal conductivity, but accessing and measuring it is extremely challenging both experimentally and theoretically. The experimental challenge is due

to the limits of instrumental capabilities; the resolution achieved by state-of-the-art experimental techniques is too limited for this goal. To date, no experimental evidence of a marked reduction in phonon lifetimes in clathrates has been found with [inelastic neutron](#) or X-ray scattering techniques. Nevertheless, there has been considerable progress recently with computational methods for semiconductors with simple structures. To match these advances, it is necessary to validate theoretical predictions by experimentally measuring the lifetime of individual phonon states.




Illustration of the long phonon lifetime measured in a clathrate

The background illustrates the periodic structure of the clathrates with large cages highlighted in white. The period, equal to 1nm, is shown by the white square (bottom left).

The temperature coloured curved illustrate the inelastic neutron scattering measurement from which phonon properties are extracted.

The sinusoid illustrates the way a phonon with a period of 2nm propagates in the clathrate, with its amplitude decaying exponentially with time (the phonon lifetime correspond to an amplitude divided by roughly 3) and thus travelling on long distances.

Credit: Institut Laue-Langevin

A multi-partner study published today in *Nature Communications* has

addressed phonon lifetime measurement challenges using inelastic neutron scattering (INS) and neutron resonant spin-echo (NRSE) experiments conducted at the Institut Laue Langevin (ILL) in Grenoble, and Laboratoire Léon Brillouin (LLB) Saclay, France. Whereas the "glass-like" thermal [conductivity](#) of the clathrate $\text{Ba}_{7.81}\text{Ge}_{40.67}\text{Au}_{5.33}$ has frequently been associated with a short phonon lifetime, this study measured for the first time to date a very long [phonon lifetime](#) using a large single crystal sample of high quality. The study also reveals a dramatic reduction of the number of phonons carrying heat, as a result of structural complexity, allowing a simple and general explanation of the [low thermal conductivity](#) of complex materials.

More information: Pierre-François Lory et al. Direct measurement of individual phonon lifetimes in the clathrate compound $\text{Ba}_{7.81}\text{Ge}_{40.67}\text{Au}_{5.33}$, *Nature Communications* (2017). [DOI: 10.1038/s41467-017-00584-7](#)

Provided by Institut Laue-Langevin

Citation: Neutrons provide a novel picture of thermal conductivity in complex materials (2017, September 11) retrieved 10 May 2024 from <https://phys.org/news/2017-09-neutrons-picture-thermal-complex-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
