

# Apple trees bear more fruit when surrounded by good neighbors

October 12 2017, by Brian Wallheimer

---



Research led by Purdue University professor Peter Hirst shows that pollen from some apple trees may be better for pollinating high-value apples. Credit: Purdue Agricultural Communication photo/Tom Campbell

Apple growers want to get the most out of their high-value cultivars, and a Purdue University study shows they might want to focus on the types

of apples they plant near those cash crops.

Since [apple trees](#) cannot self-pollinate, the [pollen](#) from other apple varieties is necessary for [fruit](#) to grow. Orchard owners often plant crab apple trees amongst high-value apples such as Honeycrisp, Gala and Fuji. Crab apples produce a lot of flowers and thus a lot of pollen for bees to spread around to the other trees.

"If you are growing some Honeycrisp, you want to plant something next to your Honeycrisp that bees will pick up and spread to your Honeycrisp and make good apples," said Peter Hirst, a Purdue professor of horticulture and landscape architecture. "Growers will alternate plantings of different cultivars every few rows to promote cross-pollination, and they'll sometimes put a crab apple tree in the middle of a row as well."

Hirst and Khalil Jahed, a Purdue doctoral student, wondered if it mattered which type of apple pollinated high-value cultivars. To find out, they manually applied pollen from Red Delicious and Golden Delicious, and two types of crab apple, Ralph Shay and *Malus floribunda*, to Honeycrisp, Fuji and Gala. They put a net over the trees to keep the bees out, so they could control the pollen that was applied.

Their findings, published in the journal *HortScience*, showed that Honeycrisp pollinated with the Red Delicious variety doubled fruit set—the conversion of flowers into fruit—compared to Honeycrisp pollinated with the crab apple varieties.

In Honeycrisp, pollen tubes created by Red Delicious pollen reached on average 85 percent of the distance to the ovary, compared to 40 percent for [pollen tubes](#) from crab apple pollen. And fruit set with Red Delicious pollen was four times higher in the first year of the study, and eight times higher in the second, compared to crab apples.

"On Honeycrisp especially, the two crab apples we tried are not very effective at all. The pollen grows very slowly, and you end up with reduced fruit set as a consequence," Hirst said.

The crab apples did better with Fuji and Gala but still didn't match the effectiveness of Red Delicious pollen.

When pollen lands on the pistil of the flower, it must be recognized, and if it is compatible, the pollen will germinate and grow down the style to the ovary. Once fertilized, the ovule becomes a seed and the flower becomes a fruit.

Jahed collected flowers from pollinated trees each day for four days after pollination and measured pollen tube growth and fruit set. Overall, the Red Delicious was the best pollinizer, followed by Golden Delicious and then the crab apple varieties. Jahed said the experiment should lead apple growers to consider the design of their orchards to ensure that better pollinizers are planted near high-value crops.

"If they have a good pollinizer and a compatible pollinizer, the fruit quality and fruit set will be higher than with those that are not compatible," Jahed said.

The research was part of Jahed's master's degree thesis, which he has completed. He and Hirst do not plan to continue studying the effectiveness of different pollinizers, but he hopes that others take up the research. They do plan to publish one final paper on pollination and fruit quality next year.

**More information:** Khalil R. Jahed et al. Pollen Tube Growth and Fruit Set in Apple, *HortScience* (2017). [DOI: 10.21273/HORTSCI11511-16](https://doi.org/10.21273/HORTSCI11511-16)

Provided by Purdue University

Citation: Apple trees bear more fruit when surrounded by good neighbors (2017, October 12)  
retrieved 26 April 2024 from  
<https://phys.org/news/2017-10-apple-trees-fruit-good-neighbors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.