


Deer prefer native plants leaving lasting damage on forests

October 6 2017, by Lindsey Hadlock



Credit: CC0 Public Domain

When rampant white-tailed deer graze in forests, they prefer to eat native plants over certain unpalatable invasive plants, such as garlic mustard and Japanese stiltgrass. These eating habits lower native plant



diversity and abundance, while increasing the proportion of plant communities made up of non-native species, according to a new study.

The findings were published in the open access, online journal *AoB Plants*. The study pooled data from previous studies conducted at 23 sites across the northeastern U.S.

"Overall, deer reduce community diversity, lowering native plant richness and abundance and benefiting certain <u>invasive plants</u>, showing that deer have a pervasive impact on forest understory plant communities across broad swaths of the eastern U.S.," said Kristine Averill, a research associate in Cornell's Section of Soil and Crop Sciences and lead author of the study.

By altering the balance of <u>native plants</u> in favor of a higher fraction of invasive plants, deer change forest plant ecology. In this way, invasive plants could have a bigger influence on the forest ecosystem and leave fewer opportunities for native animals who depend on the native plants. Such changes in plant community structures also have long-term impacts on forest regeneration, Averill said.

In the study, Averill and colleagues analyzed raw data from previous research. The data came from sites that each had multiple pairs of fenced and unfenced plots, where deer were mostly excluded from fenced plots. "We compared the <u>plant communities</u> where deer were excluded against the communities where they had access," Averill said.

The researchers were surprised to find that the diversity of <u>invasive</u> <u>species</u> - the total number of <u>non-native species</u> - and the total abundance (or land cover) of invasive plants stayed the same in areas where deer grazed and where they were excluded. Since deer find some invasive species unappetizing in favor of more palatable plants, deer indirectly promote the success of these invasives, Averill said.



"The study results suggest we should try to maintain lower deer densities through hunting and fencing if the goals are to support more native plants and foster reduced relative abundance of introduced <u>plants</u>," Averill said.

More information: Kristine M Averill et al, A regional assessment of white-tailed deer effects on plant invasion, *AoB PLANTS* (2017). DOI: 10.1093/aobpla/plx047

Provided by Cornell University

Citation: Deer prefer native plants leaving lasting damage on forests (2017, October 6) retrieved 10 April 2024 from https://phys.org/news/2017-10-deer-native-forests.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.