


Researchers document one of planet's largest volcanic eruptions

October 11 2017





WSU researchers sampled sulfur dioxide trapped in rock near lava vents to gauge how much gas was put in the air by massive basalt flows 16.5 million years ago. The inset map shows the extent of the flows, with the region in the black line



showing the Wapshilla Ridge flow that emitted more than 200 billion tons of sulfur dioxide. Credit: WSU

Washington State University researchers have determined that the Pacific Northwest was home to one of the Earth's largest known volcanic eruptions, a millennia-long spewing of sulfuric gas that blocked out the sun and cooled the planet.

Only two other eruptions—the basalt floods of the Siberian Traps and the Deccan Traps—were larger, and they led to two of the Earth's great extinctions.


"This would have been devastating regionally because of the acid-rain effect from the eruptions," said John Wolff, a professor in the WSU School of the Environment. "It did have a global effect on temperatures, but not drastic enough to start killing things, or it did not kill enough of them to affect the fossil record."

The research, which was funded by the National Science Foundation, appears in *Geology*, the top journal in the field. Starting 16.5 million years ago, they say, vents in southeast Washington and northeast Oregon put out a series of flows that reached nearly to Canada and all the way to the Pacific Ocean. The flows created the Wapshilla Ridge Member of the Grande Ronde Basalt, a kilometer-thick block familiar to travelers in the Columbia Gorge and most of Eastern Washington. The researchers say it is "the largest mapped flood basalt unit on Earth."

The researchers estimate that, over tens of thousands of years, the floods put out between 242 and 305 billion tons of sulfur dioxide. That's more than 4,000 times the output of the 1815 Mount Tambora eruption in present-day Indonesia. That eruption blanketed the Earth in an aerosol



veil, creating the "Year Without A Summer" and food shortages across the northern hemisphere.



The Grande Ronde lava flows created the largest mapped flood basalt on Earth. New research shows that its Wapshilla Ridge flow produced massive amounts of sulfur dioxide, obscuring the sun and cooling the planet. Credit: WSU

The volume of gas emitted from the Wapshilla Ridge lavas, said the



researchers, "is equivalent to a Tambora eruption every day for 11 to 16 years."

Most of the lava's gases were released during the eruptions, but some of the gas remained trapped in crystals near the volcanic vents. Klarissa Davis, lead author of the paper, analyzed the gases as part of her doctoral studies. The other authors are Michael Rowe, now at the University of Auckland, and Owen Neill, now at the University of Michigan.

Wolff puts the eruption into one of three classes of cataclysms, the other two being a caldera eruption like the Yellowstone volcano and the impact of an asteroid. A similar eruption today "would devastate modern society globally," said Wolff.

The eruption also provides an insight into the workings of climate change. It took place in what is known as the Miocene Climactic Optimum, or MCO, when some 50 million years of cooling was interrupted by 5 to 6 degrees Fahrenheit of warming. But at its peak, the MCO had a brief cooling period that coincides with the Wapshilla eruption and its profusion of sulfur dioxide.

Sulfur dioxide is now bandied about as a possible tool for engineering a break in the Earth's current warming trend, though Wolff is not particularly keen on the idea.

"I personally think that it's probably a dangerous thing to do without understanding all of the possible consequences," he said. "But maybe we're getting an idea of some possible consequences here."

More information: Klarissa N. Davis et al, Sulfur release from mainphase Columbia River Basalt eruptions, *Geology* (2017). DOI: 10.1130/G39371.1



Provided by Washington State University

Citation: Researchers document one of planet's largest volcanic eruptions (2017, October 11) retrieved 1 May 2024 from

https://phys.org/news/2017-10-document-planet-largest-volcanic-eruptions.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.