

Emotional states discovered in fish

October 30 2017




Illustration of fish. Credit: Ines Bravo, IGC.

The occurrence of emotions in animals has been under debate. Now, a research collaborative has demonstrated for the first time that fish have emotional states triggered by the way they perceive environmental stimuli. This study, published in *Scientific Reports*, reveals that the ability

to assess emotional stimuli may have a simpler neurological basis than expected, which was conserved throughout animal evolution.

The evaluation of an emotional state is not an easy task. Whereas in humans, emotions are felt consciously, and can be verbalized, there is no way to check if animals can feel emotions. But an emotional state is more than a feeling. It is characterised by behavioural, physiologic, neurologic and genetic changes. Therefore, it is possible to run tests to infer if the response to a certain stimulus is associated with an emotional state. Previous studies have suggested that some animals, namely primates and other mammals, show emotional states, without knowing if this process is conscious or not. Now, the team led by Rui Oliveira, researcher at ISPA, IGC and Champalimaud investigated if [fish](#), "simpler" animals that are more distant from humans in the evolution scale, respond emotionally to stimuli of their environment

Tests were held in sea bream after the fish were trained under favourable or adverse conditions that could trigger an emotional state. Contrarily to what is expected in a non-emotional response, the researchers observed that fish responded differently to the same stimulus depending on the way they assessed the stimulus. The [emotional reactions](#) were monitored through the evaluation of interaction or escape behaviours among fish, measuring the levels of cortisol, a stress hormone, and assessing the brain areas that were activated and that are known to be associated with positive and negative [emotional states](#).

"This is the first time that physiologic and neuromolecular responses have been observed in the central nervous system of fish in response to [emotional stimuli](#) based on the significance that the stimulus has for the fish," says Rui Oliveira. The researcher says, "The occurrence of the cognitive assessment of an emotional stimulus in fish means that that this cognitive capacity may have 'computational' requirements simpler than what has been considered until now, and may have evolved around 375

million years ago."

More information: M. Cerqueira et al, Cognitive appraisal of environmental stimuli induces emotion-like states in fish, *Scientific Reports* (2017). [DOI: 10.1038/s41598-017-13173-x](https://doi.org/10.1038/s41598-017-13173-x)

Provided by Instituto Gulbenkian de Ciencia

Citation: Emotional states discovered in fish (2017, October 30) retrieved 25 April 2024 from <https://phys.org/news/2017-10-emotional-states-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.