

# Warming unlikely to have major impact on animal agriculture in Northeast

October 4 2017

---



Climate change is expected to have an economic impact on the equine industry in the region by requiring the building of shelters for cooling horses and heat-abatement measures at equine events. Credit: Michael Houtz

Climate change will not significantly impair animal agriculture in the Northeast region of the United States, according to a multidisciplinary team of researchers, who point out there are many variables in the future

scenario they envision.

Although a projected increase in hot days will cause more heat stress in dairy cows and economic challenges for the equine industry, some animal agricultural endeavors in the Northeast may actually benefit from warming, predicted lead researcher Alex Hristov, professor of dairy nutrition, College of Agricultural Sciences, Penn State.

Warmer conditions could result in poultry producers incurring lower energy costs for heating chicken housing fall through spring. Researchers also suggest a warmer, wetter environment could boost the ability of beef cattle producers to grow and provide forage for their animals.

Researchers noted that climate models for the Northeast predict, on average, more warm days exceeding 77 degrees; more extremely warm nights—with minimum [temperature](#) above 70 degrees; fewer extremely cold nights—temperatures below 32 degrees; warmer average winter and [summer temperatures](#); more days with heavy rain exceeding 2 to 3 inches; and higher annual precipitation.

"Increased temperatures will alter the forage growing season timing and extend its length; however, changes in relative humidity—which can exacerbate summer heat stress in dairy cattle—are expected to be minimal through the current century," Hristov said. "We are confident that we know what is going to happen—the new, down-scaled [climate models](#) portray the evolution of current trends in the Northeast through the 21st century."

The research, which was published recently in *Climatic Change*, analyzed the coming impacts of warmer, wetter conditions in the Northeast on forage production and quality; manure management; emerging pathogens and disease; the production of dairy cattle, beef cattle and poultry; and

equine enterprises.

For forage crops, researchers believe more warm days and higher annual precipitation, combined with increased atmospheric carbon dioxide concentration, will either increase or decrease forage productivity, depending on the crop.

Predicted temperature increases may decrease fertility in dairy cattle and heat stress-induced inflammation may limit energy available for productive functions. A slight decline in milk production due to decreased feed intake could occur.

Projected temperature changes, hotter nights and fewer cold days, may reduce maintenance costs for beef cattle. More forage availability may increase grazing days in the region and boost the relevance of the beef cattle industry.

According to the researchers, poultry broiler production in the region may benefit from warmer winter and summer temperatures, but future housing will require greater insulation and ventilation fan capacity. Providing adequate housing and ventilation to offset climate changes will also be important for the layer industry and could increase the price of eggs.

Climate change is expected to have an economic impact on the horse industry in the region by requiring additional management of land and forage resources, buildings to provide cool shelters for animals, and heat-abatement measures at equine events.

Two aspects related to all animal agriculture—nutrient management and disease—are expected to be complicated and exacerbated by warmer, wetter conditions in the Northeast, Hristov explained. In the case of emerging pathogens, it is difficult to predict the severity of ensuing

problems.

"Increased temperatures and more intense storms will increase losses of nitrogen, phosphorus, and carbon as well as gaseous emissions from animal manure," he said. "Losses of these nutrients contribute to environmental issues such as eutrophication (algal takeover) of surface waters and ground water contamination."

"Uncertainties about how host [animals](#), pathogens and disease vectors will respond to climate change are the wild card in predicting the effect of climate-induced changes in animal agriculture in the region. Producers will have to be even more diligent in monitoring animal health."

Provided by Pennsylvania State University

Citation: Warming unlikely to have major impact on animal agriculture in Northeast (2017, October 4) retrieved 16 August 2024 from <https://phys.org/news/2017-10-major-impact-animal-agriculture-northeast.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--