


Mars study yields clues to possible cradle of life

October 6 2017, by Guy Webster



This view of a portion of the Eridania region of Mars shows blocks of deep-basin deposits that have been surrounded and partially buried by younger volcanic deposits. Credit: NASA/JPL-Caltech/MSSS


The discovery of evidence for ancient sea-floor hydrothermal deposits on Mars identifies an area on the planet that may offer clues about the origin of life on Earth.

A recent international report examines observations by NASA's Mars Reconnaissance Orbiter (MRO) of massive deposits in a basin on southern Mars. The authors interpret the data as evidence that these deposits were formed by heated water from a volcanically active part of the planet's crust entering the bottom of a large sea long ago.

"Even if we never find evidence that there's been [life](#) on Mars, this site can tell us about the type of environment where life may have begun on Earth," said Paul Niles of NASA's Johnson Space Center, Houston.

"Volcanic activity combined with standing water provided conditions that were likely similar to conditions that existed on Earth at about the same time—when early life was evolving here."

Mars today has neither standing water nor volcanic activity. Researchers estimate an age of about 3.7 billion years for the Martian deposits attributed to seafloor hydrothermal activity. Undersea hydrothermal conditions on Earth at about that same time are a strong candidate for where and when life on Earth began. Earth still has such conditions, where many forms of life thrive on chemical energy extracted from rocks, without sunlight. But due to Earth's active crust, our planet holds little direct geological evidence preserved from the time when life began. The possibility of undersea hydrothermal activity inside icy moons such as Europa at Jupiter and Enceladus at Saturn feeds interest in them as destinations in the quest to find extraterrestrial life.




The Eridania basin of southern Mars is believed to have held a sea about 3.7 billion years ago, with seafloor deposits likely resulting from underwater hydrothermal activity. Credit: NASA

Observations by MRO's Compact Reconnaissance Spectrometer for Mars (CRISM) provided the data for identifying minerals in massive deposits within Mars' Eridania basin, which lies in a region with some of the Red Planet's most ancient exposed crust.

"This site gives us a compelling story for a deep, long-lived sea and a deep-sea hydrothermal environment," Niles said. "It is evocative of the deep-sea hydrothermal environments on Earth, similar to environments where life might be found on other worlds—life that doesn't need a nice atmosphere or temperate surface, but just rocks, heat and water."

Niles co-authored the recent report in the journal *Nature Communications* with lead author Joseph Michalski, who began the analysis while at the Natural History Museum, London, and co-authors at the Planetary Science Institute in Tucson, Arizona, and the Natural History Museum.



This diagram illustrates an interpretation for the origin of some deposits in the Eridania basin of southern Mars as resulting from seafloor hydrothermal activity more than 3 billion years ago. Credit: NASA

The researchers estimate the ancient Eridania sea held about 50,000 cubic miles (210,000 cubic kilometers) of water. That is as much as all other lakes and seas on ancient Mars combined and about nine times more than the combined volume of all of North America's Great Lakes. The mix of minerals identified from the spectrometer data, including serpentine, talc and carbonate, and the shape and texture of the thick

bedrock layers, led to identifying possible seafloor hydrothermal deposits. The area has lava flows that post-date the disappearance of the sea. The researchers cite these as evidence that this is an area of Mars' crust with a volcanic susceptibility that also could have produced effects earlier, when the sea was present.

The new work adds to the diversity of types of wet environments for which evidence exists on Mars, including rivers, lakes, deltas, seas, hot springs, groundwater, and volcanic eruptions beneath ice.

"Ancient, deep-water hydrothermal deposits in Eridania basin represent a new category of astrobiological target on Mars," the report states. It also says, "Eridania seafloor deposits are not only of interest for Mars exploration, they represent a window into early Earth." That is because the earliest evidence of life on Earth comes from seafloor deposits of similar origin and age, but the geological record of those early-Earth environments is poorly preserved.

More information: Joseph R. Michalski et al. Ancient hydrothermal seafloor deposits in Eridania basin on Mars, *Nature Communications* (2017). [DOI: 10.1038/ncomms15978](https://doi.org/10.1038/ncomms15978)

Provided by Jet Propulsion Laboratory

Citation: Mars study yields clues to possible cradle of life (2017, October 6) retrieved 3 May 2024 from <https://phys.org/news/2017-10-mars-yields-clues-cradle-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
