

# **Raton Basin earthquakes linked to oil and gas fluid injections**

October 24 2017

---



Former CU Boulder doctoral student Matthew Weingarten, now at Stanford, shown here with CU Boulder doctoral student Jenny Nakai setting up a seismic

network in Colorado. Credit: David Oink, CIRES

A rash of earthquakes in southern Colorado and northern New Mexico recorded between 2008 and 2010 was likely due to fluids pumped deep underground during oil and gas wastewater disposal, says a new University of Colorado Boulder study.

The study, which took place in the 2,200-square-mile Raton Basin along the central Colorado-northern New Mexico border, found more than 1,800 earthquakes up to magnitude 4.3 during that period, linking most to wastewater injection well activity. Such wells are used to pump water back in the ground after it has been extracted during the collection of methane gas from subterranean coal beds.

One key piece of the new study was the use of hydrogeological modeling of pore pressure in what is called the "basement rock" of the Raton Basin - rock several miles deep that underlies the oldest stratified layers. Pore pressure is the fluid pressure within rock fractures and rock pores.

While two previous studies have linked earthquakes in the Raton Basin to wastewater injection wells, this is the first to show that elevated pore pressures deep underground are well above earthquake-triggering thresholds, said CU Boulder doctoral student Jenny Nakai, lead study author. The northern edges of the Raton Basin border Trinidad, Colorado, and Raton, New Mexico.

"We have shown for the first time a plausible causative mechanism for these earthquakes," said Nakai of the Department of Geological Sciences. "The spatial patterns of seismicity we observed are reflected in the distribution of wastewater injection and our modeled pore pressure change."

A paper on the study was published in the *Journal of Geophysical Research: Solid Earth*. Co-authors on the study include CU Boulder Professors Anne Sheehan and Shemin Ge of geological sciences, former CU Boulder doctoral student Matthew Weingarten, now a postdoctoral fellow at Stanford University, and Professor Susan Bilek of the New Mexico Institute of Mining and Technology in Socorro.

The Raton Basin earthquakes between 2008 and 2010 were measured by the seismometers from the EarthScope USArray Transportable Array, a program funded by the National Science Foundation (NSF) to measure earthquakes and map Earth's interior across the country. The team also used seismic data from the Colorado Rockies Experiment and Seismic Transects (CREST), also funded by NSF.

As part of the research, the team simulated in 3-D a 12-mile long fault gleaned from seismicity data in the Vermejo Park region in the Raton Basin. The seismicity patterns also suggest a second, smaller fault in the Raton Basin that was active from 2008-2010.

Nakai said the research team did not look at the relationship between the Raton Basin earthquakes and hydraulic fracturing, or fracking.

The new study also showed the number of earthquakes in the Raton Basin correlates with the cumulative volume of wastewater injected in wells up to about 9 miles away from the individual earthquakes. There are 28 "Class II" wastewater disposal wells - wells that are used to dispose of waste fluids associated with oil and natural gas production - in the Raton Basin, and at least 200 million barrels of wastewater have been injected underground there by the oil and gas industry since 1994.

"Basement rock is typically more brittle and fractured than the rock layers above it," said Sheehan, also a fellow at CU's Cooperative Institute for Research in Environmental Sciences. "When pore pressure

increases in basement rock, it can cause earthquakes."

There is still a lot to learn about the Raton Basin earthquakes, said the CU Boulder researchers. While the oil and gas industry has monitored seismic activity with seismometers in the Raton Basin for years and mapped some sub-surface faults, such data are not made available to researchers or the public.

The [earthquake](#) patterns in the Raton Basin are similar to other U.S. regions that have shown "induced seismicity" likely caused by [wastewater](#) injection wells, said Nakai. Previous studies involving CU Boulder showed that [injection wells](#) likely caused earthquakes near Greeley, Colorado, in Oklahoma and in the mid-continent region of the United States in recent years.

Provided by University of Colorado at Boulder

Citation: Raton Basin earthquakes linked to oil and gas fluid injections (2017, October 24)  
retrieved 9 April 2024 from

<https://phys.org/news/2017-10-raton-basin-earthquakes-linked-oil.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--