


Scientists dig into the origin of organics on Ceres

October 18 2017



SwRI scientists are studying the geology associated with the organic-rich areas on Ceres. Dawn spacecraft data show a region around the Ernutet crater where organic concentrations have been discovered (background image). The color coding shows the surface concentration of organics, as inferred from the visible and near infrared spectrometer. The inset shows a higher resolution enhanced color image of the Ernutet crater acquired by Dawn's framing camera. Regions in red indicate higher concentration of organics. Credit: NASA/JPL-

Since NASA's Dawn spacecraft detected localized organic-rich material on Ceres, Southwest Research Institute (SwRI) has been digging into the data to explore different scenarios for its origin. After considering the viability of comet or asteroid delivery, the preponderance of evidence suggests the organics are most likely native to Ceres.

"The discovery of a locally high concentration of organics close to the Ernutet crater poses an interesting conundrum," said Dr. Simone Marchi, a principal scientist at SwRI. He is discussing his team findings today at a press conference at the American Astronomical Society's 49th Division for Planetary Sciences Meeting in Provo. "Was the [organic material](#) delivered to Ceres after its formation? Or was it synthesized and/or concentrated in a specific location on Ceres via internal processes? Both scenarios have shortfalls, so we may be missing a critical piece of the puzzle."

Ceres is believed to have originated about 4.5 billion years ago at the dawn of our solar system. Studying its organics can help explain the origin, evolution, and distribution of organic species across the solar system. The very location of Ceres at the boundary between the inner and outer solar system and its intriguing composition characterized by clays, sodium- and ammonium-carbonates, suggest a very complex chemical evolution. The role of organics in this evolution is not fully understood, but has important astrobiological implications.

"Earlier research that focused on the geology of the organic-rich region on Ceres were inconclusive about their origin," Marchi said. "Recently, we more fully investigated the viability of organics arriving via an asteroid or comet [impact](#)."

Scientists explored a range of impact parameters, such as impactor sizes and velocities, using iSALE shock physics code simulations. These models indicated that comet-like projectiles with relatively high impact velocities would lose almost all of their organics due to shock compression. Impacting asteroids, with lower incident velocities, can retain between 20 and 30 percent of their pre-impact organic material during delivery, especially for small impactors at oblique impact angles. However, the localized spatial distribution of organics on Ceres seems difficult to reconcile with delivery from small main belt asteroids.

"These findings indicate that the [organics](#) are likely to be native to Ceres," Marchi said.

Provided by Southwest Research Institute

Citation: Scientists dig into the origin of organics on Ceres (2017, October 18) retrieved 25 April 2024 from <https://phys.org/news/2017-10-scientists-ceres.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--