

Algorithm better at diagnosing pneumonia than radiologists

November 16 2017, by Taylor Kubota



Radiologist Matthew Lungren, left, meets with graduate students Jeremy Irvin and Pranav Rajpurkar to discuss the results of detections made by the algorithm. Credit: L.A. Cicero/Stanford News Service

Stanford researchers have developed a deep-learning algorithm that

evaluates chest X-rays for signs of disease.

Stanford researchers have developed an [algorithm](#) that offers diagnoses based off chest X-ray images. It can diagnose up to 14 types of medical conditions and is able to diagnose pneumonia better than expert radiologists working alone

A paper about the algorithm, called CheXNet, was published Nov. 14 on the open-access, scientific preprint website arXiv.

"Interpreting X-ray images to diagnose pathologies like pneumonia is very challenging, and we know that there's a lot of variability in the diagnoses radiologists arrive at," said Pranav Rajpurkar, a graduate student in the Machine Learning Group at Stanford and co-lead author of the paper. "We became interested in developing machine learning algorithms that could learn from hundreds of thousands of chest X-ray diagnoses and make accurate diagnoses."

The work uses a public data set initially released by the National Institutes of Health Clinical Center on Sept. 26. That data set contains 112,120 frontal-view chest X-ray images labeled with up to 14 possible pathologies. It was released in tandem with an algorithm that could diagnose many of those 14 pathologies with some success, designed to encourage others to advance that work. As soon as they saw these materials, the Machine Learning Group—a group led by Andrew Ng, PhD, adjunct professor of computer science—knew they had their next project.

The researchers, working with Matthew Lungren, MD, MPH, assistant professor of radiology at the School of Medicine, had four Stanford radiologists independently annotate 420 of the images for possible indications of pneumonia. The researchers said they chose to focus on this disease, which brings 1 million Americans to the hospital each year,

according to the Centers for Disease Control and Prevention, and is especially difficult to spot on X-rays. In the meantime, the Machine Learning Group team got to work developing an algorithm that could automatically diagnose the pathologies.

Within a week, the researchers had an algorithm that diagnosed 10 of the pathologies labeled in the X-rays more accurately than previous state-of-the-art results. In just over a month, their algorithm could beat these standards in all 14 identification tasks. In that short time span, CheXNet also outperformed the four Stanford radiologists in diagnosing pneumonia accurately.

Why use an algorithm

Often, treatments for common but devastating diseases that occur in the chest, such as pneumonia, rely heavily on how doctors interpret radiological imaging. But even the best radiologists are prone to misdiagnoses due to challenges in distinguishing between diseases based on X-rays.

"The motivation behind this work is to have a deep-learning model to aid in the interpretation task that could overcome the intrinsic limitations of human perception and bias, and reduce errors," explained Lungren, who is co-author of the paper. "More broadly, we believe that a deep-learning model for this purpose could improve health care delivery across a wide range of settings."

After about a month of continuous iteration, the algorithm outperformed the four individual Stanford radiologists in pneumonia diagnoses. This means that the diagnoses provided by CheXNet agreed with a majority vote of radiologists more often than those of the individual radiologists. The algorithm now has the highest performance of any work that has come out so far related to the NIH chest X-ray data set.

Many options for the future

Also detailed in their arXiv paper, the researchers have developed a computer-based tool that produces what looks like a heat map of the chest X-rays—but instead of representing temperature, the colors of these maps represent areas that the algorithm determines are most likely to represent pneumonia. This tool could help reduce the amount of missed cases of [pneumonia](#) and significantly accelerate radiologist workflow by showing them where to look first, leading to faster diagnoses for the sickest patients.

In parallel to other work the group is doing with irregular heartbeat diagnosis and electronic medical record data, the researchers hope CheXNet can help people in areas of the world where people might not have easy access to a [radiologist](#).

"We plan to continue building and improving upon medical algorithms that can automatically detect abnormalities and we hope to make high-quality, anonymized medical datasets publicly available for others to work on similar problems," said Jeremy Irvin, a graduate student and co-lead author of the paper. "There is massive potential for [machine learning](#) to improve the current health care system, and we want to continue to be at the forefront of innovation in the field."

More information: CheXNet: Radiologist-Level Pneumonia Detection on Chest X-Rays with Deep Learning, arXiv:1711.05225 [cs.CV] arxiv.org/abs/1711.05225

Provided by Stanford University Medical Center

Citation: Algorithm better at diagnosing pneumonia than radiologists (2017, November 16)
retrieved 20 April 2024 from

<https://phys.org/news/2017-11-algorithm-pneumonia-radiologists.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.