


Biologists determine how long microorganisms can live on Mars

November 9 2017



Researchers from Lomonosov MSU, Faculty of Soil Science, have studied the resistance microorganisms have against gamma radiation in very low temperatures. Credit: YONHAP/EPA

Researchers from Lomonosov Moscow State University have studied the resistance of microorganisms against gamma radiation in very low

temperatures. The results have been published in *Extremophiles*.

The average temperature on Mars is $-63\text{ }^{\circ}\text{C}$, but in polar areas and at night it can be as low as $-145\text{ }^{\circ}\text{C}$. The atmospheric pressure is much lower than Earth's by 100-1000 times, and the planet experiences strong ultraviolet and ionizing [radiation](#). Until now, no one knew to what extent microorganisms can resist such extreme factors. By finding out the limits, scientists can assess the survival of microorganisms and biomarkers throughout the solar system. This information will become invaluable in planning astrobiological space missions, when it is important to carefully choose objects and regions of research, as well as to thoroughly develop techniques for the detection of life.

In their current paper, the authors studied the radiation resistance of microbial communities in permafrost sedimentary rocks under [low temperature](#) and low pressure. These sedimentary rocks are considered to be a terrestrial analog of regolith, the surface produced by space weathering. The scientists assume that the potential Martian biosphere could survive in a cryo-conserved state, and that the main factor limiting the cellular lifespan is radiation damage. By defining the limit of radiation resistance, researchers can estimate the survivability of microorganisms in regolith of various depths.

"We have studied the joint impact of a number of physical factors (gamma radiation, low pressure, low temperature) on the microbial communities within ancient Arctic permafrost. We also studied a unique nature-made object—the ancient permafrost that has not melted for about 2 million years. In a nutshell, we have conducted a simulation experiment that covered the conditions of cryo-conservation in Martian regolith. It is also important that in this paper, we studied the effect of high doses (100 kGy) of [gamma radiation](#) on prokaryotes' vitality, while in previous studies no living prokaryotes were ever found after doses higher than 80 kGy", said co-author Vladimir S. Cheptsov, a post-

graduate student at the Lomonosov MSU Department of Soil Biology.

While simulating these factors influencing the microorganisms, the researchers used an original constant climate chamber that maintains low temperature and pressure during gamma irradiation. The authors also note that natural microbial communities were used as a model object, not pure cultures of microorganisms.

The microbial communities showed high resistance to the conditions of simulated Martian environment. After irradiation, the total count of prokaryotic cells and number of metabolically active bacterial cells remained at the control level, while the number of cultured bacteria (those which grow on nutrient media) decreased 10 times. The number of metabolically active cells of archaea decreased threefold. The decrease in the cultured bacteria numbers was probably caused by a change in their physiological state and not by death.

The scientists have detected a fairly high biodiversity of bacteria in the exposed sample of permafrost, although the microbial community structure underwent significant changes after irradiation. In particular, actinobacteria populations of the genus *Arthrobacter*, which were not revealed in the control samples, became predominant in bacterial communities following the simulation. This was probably caused by the decrease in dominant bacterial populations, so the actinobacteria of the genus *Arthrobacter* could be detected by the researchers. The authors also suggest that these bacteria are more resistant to the simulated conditions. There were also studies proving that these bacteria have a fairly high resistance to ultraviolet radiation, and their DNA is well preserved in ancient permafrost through millions of years.

"The results of the study indicate the possibility of prolonged cryo-conservation of viable microorganisms in the Martian regolith. The intensity of ionizing radiation on the surface of Mars is 0.05-0.076

Gy/year and decreases with depth. Taking into account the intensity of radiation in the Mars regolith, the data obtained makes it possible to assume that hypothetical Mars ecosystems could be conserved in an anabiotic state in the surface layer of regolith (protected from UV rays) for at least 1.3 million years, at a depth of two meters for no less than 3.3 million years, and at a depth of five meters for at least 20 million years. The data obtained can also be applied to assess the possibility of detecting viable [microorganisms](#) on other objects of the solar system and within small bodies in outer space," the scientist added.

The authors have, for the first time, proven that prokaryotes can survive irradiation with ionizing radiation in doses exceeding 80 kGy. The data obtained indicate both a possible underestimation of the radiation resistance of natural [microbial communities](#) and the need to study the joint effect of a set of extraterrestrial and cosmic factors on living organisms and biomolecules in astrobiological model experiments.

More information: Vladimir S. Cheptsov et al, 100 kGy gamma-affected microbial communities within the ancient Arctic permafrost under simulated Martian conditions, *Extremophiles* (2017). [DOI: 10.1007/s00792-017-0966-7](#)

Provided by Lomonosov Moscow State University

Citation: Biologists determine how long microorganisms can live on Mars (2017, November 9) retrieved 26 April 2024 from <https://phys.org/news/2017-11-biologists-microorganisms-mars.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
