

Graphene water filter turns whisky clear

November 14 2017



Credit: University of Manchester

Previously graphene-oxide membranes were shown to be completely



impermeable to all solvents except for water. However, a study published in *Nature Materials*, now shows that we can tailor the molecules that pass through these membranes by simply making them ultrathin.

The research team led by Professor Rahul Nair at the National Graphene Institute and School of Chemical Engineering and Analytical Science at The University of Manchester tailored this membrane to allow all solvents to pass through but without compromising it's ability to sieve out the smallest of particles.

In the newly developed ultrathin membranes, graphene-oxide sheets are assembled in such a way that pinholes formed during the assembly are interconnected by graphene nanochannels, which produces an atomicscale sieve allowing the large flow of solvents through the membrane.

This new research allows for expansion in the applications of graphene based membranes from sea <u>water</u> desalination to organic <u>solvent</u> nanofiltration (OSN). Unlike sea water desalination, which separate salts from water, OSN technology separates charged or uncharged organic compounds from an organic solvent.

As an example, Manchester scientists demonstrated that graphene-oxide membranes can be designed to completely remove various organic dyes as small as a nanometre dissolved in methanol.





Credit: University of Manchester

Prof. Nair said, "Just for a fun, we even filtered whisky and cognac through the graphene-oxide membrane. The membrane allowed the alcohol to pass through but removed the larger molecules, which gives the amber colour. The clear whisky smells similar to the original whisky but we are not allowed to drink it in the lab, however it was a funny Friday night experiment!"

The newly developed membranes not only filter out small molecules but



it boosts the filtration efficiency by increasing the solvent flow rate.

Prof. Nair added "Chemical separation is all about energy, various chemical separation processes consume about half of industrial energy useage. Any new efficient separation process will minimize the consumption of energy, which is in high demand now. By 2030, the world is projected to consume 60% more energy than today."

Dr. Su, who led the experiment added "The developed membranes are not only useful for filtering alcohol, but the precise sieve size and high flux open new opportunity to separate molecules from different organic solvents for chemical and pharmaceutical industries. This development is particularly important because most of the existing polymer-based membranes are unstable in organic solvents whereas the developed graphene-oxide <u>membrane</u> is highly stable."

Graphene-oxide membranes developed at the National Graphene Institute have attracted widespread attention for water filtration and desalination applications, providing a potential solution to the water scarcity.

By using ultra-thin membranes, this is the first clear-cut experiment to show how other solvents can be filtered out, proving that there is potential for organic solvent nanofiltration.

Graphene- the world's first two-dimensional material is known for its versatile superlatives, it can be both hydrophobic and hydrophilic, stronger than steel, flexible, bendable and one million times thinner than a human hair.

This research has changed the perception of what graphene-oxide membranes are capable of and how we can use them. By being able to design these membranes to filter specific molecules or solvents, it opens



up new potential uses that have previously not been explored.

More information: Q. Yang et al. Ultrathin graphene-based membrane with precise molecular sieving and ultrafast solvent permeation, *Nature Materials* (2017). DOI: 10.1038/nmat5025

Provided by University of Manchester

Citation: Graphene water filter turns whisky clear (2017, November 14) retrieved 2 May 2024 from <u>https://phys.org/news/2017-11-graphene-filter-whisky.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.