

# Mechanochemistry paves the way to higher quality perovskite photovoltaics

November 8 2017

---



The laboratory photovoltaic cells, working on perovskite materials obtained by mechanochemistry, convert solar energy into electricity even more efficiently. Credit: IPC PAS, Grzegorz Krzyzewski

For several years, tension has been rising in line with the approaching commercialization of perovskite photovoltaic cells. Now, researchers

have developed devices based on these materials that can convert solar energy into electricity even more efficiently by producing perovskites via grinding rather than conventional methods.

The collaboration of researchers and experienced technologists can produce unexpected results. A Swiss-Polish team from the Institute of Physical Chemistry of the Polish Academy of Sciences (IPC PAS) in Warsaw and the Ecole Polytechnique Federale de Lausanne (EPFL) in Lausanne (Switzerland), co-operating within the [GOTSolar project](#) has demonstrated a [perovskite](#) cell with a significantly smaller number of structural defects. The unexpected improvement of the photovoltaic performance was observed when perovskites produced by mechanochemistry were used for the construction of a typical photovoltaic cell.

Mechanochemistry is a rapidly developing field of science dealing with chemical reactions occurring directly between solid-phase compounds upon activation by mechanical force. In laboratories, such processes are carried out in automatic ball mills. However, some mechanochemical reactions could be successfully performed outside the lab by manual grinding with ordinary mortars.

Perovskites are a large group of [materials](#) with the general chemical formula  $ABX_3$ , characterized by a cubic crystalline structure. Atoms of A are located at the centre of the cube; in the middle of each wall, there is an X atom, and the corners are occupied by the atoms of element B. The name of this group of materials is derived from a naturally occurring mineral, calcium titanate  $CaTiO_3$ , called perovskite in honour of the Russian geologist Leo Perovski. The physicochemical properties of this material can be improved by replacing calcium, titanium and oxygen with other elements. Currently, the most commonly studied compound of the perovskite group is  $(CH_3NH_3)PbI_3$ . In this material, calcium, titanium and oxygen ions are replaced by methylammonium (in

position A), lead (in position B) and iodide (in position X) ions, respectively.

The group of Prof. Janusz Lewinski (IPC PAS, Warsaw University of Technology) was the first to demonstrate that polycrystalline halide perovskites  $(\text{CH}_3\text{NH}_3)\text{PbI}_3$  can be produced in mechanochemical reactions. Recently, the group presented the mechanochemical production of mixed perovskites, those in which several different types of ions alternate in position A. This is an important achievement, because by carefully altering the chemical composition of the perovskite materials, they can be adapted to specific applications in photovoltaics, catalysis and other fields of science and technology.

"In practice, the mechanochemical production of our perovskites is as follows. Two powders, e.g. white methylammonium iodide  $\text{CH}_3\text{NH}_3\text{I}$  and yellow lead iodide  $\text{PbI}_2$ , are placed in a mill equipped with a few steel balls. Then, we grind them for several dozen minutes, producing a homogeneous black powder of the perovskite  $(\text{CH}_3\text{NH}_3)\text{PbI}_3$ , which can be directly used for the construction of photovoltaic [cells](#). You do not need to use high temperature, organic solvents, or worry about waste. The whole process is really fast and efficient. It is green chemistry," says Marcin Saski, a PhD student at IPC PAS.

Professor Lewinski's team is a leader in conducting academic research on the synthesis of perovskites in Poland. The materials produced here are assembled and tested at EPFL in collaboration with a world-class Swiss chemist, Prof. Michael Graetzel. Professor Graetzel specializes in nano- and mesomaterials for optoelectronics. One of his greatest achievements was the development of a new type of solar cell in which the conversion of [solar energy](#) to electricity takes place using a suitable dye, in 1991. Today, these cells are known as [dye-sensitized solar cells](#) (DSSCs), or simply Graetzel cells.

The laboratory [photovoltaic cells](#) made of perovskite materials obtained by mechanochemistry have just been produced by Dr. Daniel Prochowicz (EPFL, IPC PAS). Interestingly enough, a perovskite layer of around 300 nanometers was sufficient. In the future, such thin coverage will reduce the unit cost of cell production.

"An important property characterizing the quality of a photovoltaic cell is the amount of electrical charge accumulating at the boundary of individual cell layers. If there is too much, the cell undergoes degradation more rapidly. Perovskites obtained by mechanochemistry formed a very homogeneous layer, which reduced the number of defects in the structure, impairing the work of the cell, and reduced the amount of charge deposited on the surface," says Dr. Prochowicz.

Researchers don't yet know why the electrical properties of perovskite cells obtained by grinding are better. It seems that the solvent used in production of perovskites plays a negative role. It can be incorporated into the structure of the material, and upon deposition of the perovskite on the substrate, its residues may cause the formation of defects in the crystalline structure. Microscopic and electrical studies have shown that higher-quality mechanochemically synthesized perovskites (obtained without solvents) are associated with reducing the number of traps for charge carriers formed at the junction of the material with the substrate.

**More information:** Daniel Prochowicz et al, Reduction in the Interfacial Trap Density of Mechanochemically Synthesized MAPbI<sub>3</sub>, *ACS Applied Materials & Interfaces* (2017). [DOI: 10.1021/acsami.7b06788](#)

Provided by Polish Academy of Sciences

Citation: Mechanochemistry paves the way to higher quality perovskite photovoltaics (2017, November 8) retrieved 10 April 2024 from <https://phys.org/news/2017-11-mechanochemistry-paves-higher-quality-perovskite.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.