


BigH1—the key histone for male fertility

December 14 2017



In red, BigH1 expressed in germ stem cells and spermatocytes. In blue, the cell

nuclei. Credit: Albert Carbonell, IRB Barcelona.

Researchers in the Chromatin Structure and Function Lab at the Institute for Research in Biomedicine (IRB Barcelona) have identified the histone BigH1 as a key protein in stem cell differentiation to male sex cells. Histones are basic proteins that confer order and structure to DNA, and play an important role in gene regulation.

Depending on the stage of the process, [histone](#) BigH1 is either present and represses specific genes, or it is inhibited to allow gene expression, thereby promoting differentiation, a process in which [stem cells](#) produce adult [sex cells](#). When this delicate balance is lost, male *Drosophila melanogaster* show gonadal malformations and infertility.

"We hypothesize that BigH1 represses the genes that are not specific to the germ line (when stem [cells](#) give rise to sex cells). But we now have to unravel how it does this and how it is activated and silenced," says Ferran Azorín, CSIC Research Professor and group leader at IRB Barcelona.

All animals have histones that are specific to the germ line. In *Drosophila*, BigH1 is expressed in the male and female germ lines. In contrast, variants of histone H1 differ between males and females in mice and in humans. "The histone BigH1, which we have studied in *Drosophila melanogaster*, shows most resemblance to the germ line variant of human females but it also shows some similarities to variants of the male germ line," explains Albert Carbonell, postdoctoral fellow and first author of the paper. "Because of these similarities, our work can contribute to our understanding of sex cell differentiation in humans and help to explain some types of infertility," he adds.

Histones as regulators in stem cell differentiation into tissue cells

All the cells of an organism, whether skin, intestinal, lung or any other type, arise from the differentiation of stem cells, and it is known that histones play a crucial role in this process in many lineages. This study describes the mechanism of action and inhibition exerted by BigH1 to regulate spermatogenesis in *Drosophila* and which may work in a similar manner in other species.

The lab is now focusing on BigH1 during the differentiation of female sex cells. "We know that this histone is essential, but we assume it will have a distinct role since the process involving female sex cells is considerably different to that of male ones," says Paula Climent, a PhD student in the lab and one of the authors of the article.

More information: Albert Carbonell et al, The Germline Linker Histone dBigH1 and the Translational Regulator Bam Form a Repressor Loop Essential for Male Germ Stem Cell Differentiation, *Cell Reports* (2017). [DOI: 10.1016/j.celrep.2017.11.060](https://doi.org/10.1016/j.celrep.2017.11.060)

Provided by Institute for Research in Biomedicine (IRB Barcelona)

Citation: BigH1—the key histone for male fertility (2017, December 14) retrieved 19 April 2024 from <https://phys.org/news/2017-12-big1the-key-histone-male-fertility.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.