

Climate change may favor large plant eaters over small competitors

December 20 2017



A new study shows that climate change that significantly decreases plant quality grants a competitive advantage to larger invertebrate herbivores, such as grasshoppers, who can convert the foliage to energy more efficiently than smaller herbivores. Credit: Andrew v. F. Block

In the drive to survive changing climates, larger herbivores may fare slightly better than their smaller competitors, according to new research from the National Institute for Mathematical and Biological Synthesis and the Yale School of Forestry and Environmental Studies.



Scientists have generally expected animals to get smaller as the planet warms, as research on the interactions in food webs has focused mainly on the effects of temperature. But the new study accounts for more <u>climate</u> variables, not just temperature, that could come into play, including atmospheric carbon dioxide levels and rainfall patterns.

The key factor appears to be plant quality.

In the study published in the journal *American Naturalist*, researchers developed a model based on food web interactions among plants, grasshoppers, and spiders exposed to multiple changing climate variables. The variables interact and influence plant nutritional quality, which in turn affects the herbivorous grasshoppers and the shared predator—the spiders.

The model shows that climate change that significantly decreases plant quality grants a competitive advantage to larger invertebrate herbivores, such as grasshoppers, ants and other insects, which are able to convert the foliage to energy more efficiently than smaller herbivores.

Temperature and moisture rather than <u>atmospheric carbon dioxide</u> appear to have the most influence.

The results suggest that climate change could predict increased body sizes in some cases.

"Global <u>climate change</u> involves not just a warming planet, but also increased atmospheric CO2 concentrations and changes in rainfall," said lead author Lauren Smith-Ramesh, a postdoctoral fellow at NIMBioS. "All these factors should be taken into account when making predictions about how animal size will respond."

More information: Lauren M. Smith-Ramesh et al, Multivariate



Climate Change Can Favor Large Herbivore Body Size in Food Webs, *The American Naturalist* (2017). DOI: 10.1086/695768

Provided by National Institute for Mathematical and Biological Synthesis

Citation: Climate change may favor large plant eaters over small competitors (2017, December 20) retrieved 24 April 2024 from https://phys.org/news/2017-12-climate-favor-large-eaters-small.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.